



Connectors > Socket Connectors > IC Sockets > PGA Sockets



IC Socket Type: **rPGA**
Number of Positions: **989**
Contact Mating Area Plating Material: **Gold (Au)**
Grid Spacing: **1 x 1 mm [.039 x .039 in]**

Features

Product Type Features

Leg Style	Pin Grid Array (PGA)
ZIF Actuator	Screwdriver/Cam
Insertion Force Type	ZIF

Configuration Features

Number of Positions	989
Grid Spacing	1 x 1 mm[.039 x .039 in]

Body Features

Sleeve Plating Material	Tin-Lead over Nickel
Frame Style	Open
Sleeve Material	Copper Alloy
Actuator Material	Stainless Steel
Connector Profile	Low

Contact Features

Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Gold
	15 µin
Contact Fabrication	Stamped & Formed
IC Socket Type	rPGA
Contact Mating Area Plating Material	Gold (Au)



Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Housing Features

Housing Color	Black
Housing Material	High Temperature Thermoplastic

Dimensions

Socket Overall Height	4 mm[.157 in]
-----------------------	---------------

Operation/Application

Assembly Process Feature	Pick and Place Cover, Tape
--------------------------	----------------------------

Identification Marking

Socket Identifier	rPGA989
-------------------	---------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	120
--------------------	-----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUN 2018 (191) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products





will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series

Alcoswitch PKA



Customers Also Bought



Documents

- CAD Files
- Customer View Model
- ENG_CVM_CVM_2013620-3_R.2d_dxf.zip
- English
- 3D PDF
- 3D
- Customer View Model
- ENG_CVM_CVM_2013620-3_R.3d_igs.zip

2013620-3

SOCKET ASSY W/EMBOSS TAPE 56mm, rPGA989



English

Customer View Model

[ENG_CVM_CVM_2013620-3_R.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Sockets_for_rPGA989_and_rPGA988_Processors](#)

English