

AMP | AMP M Series


TE Internal #: 201414-1

Female Screwlock, Stainless Steel / Zinc Alloy, AMP M Series

View on TE.com >



Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: Female Screwlock

Primary Product Material: Stainless Steel, Zinc Alloy

Operating Temperature (Max): 150 °C [302 °F]

Operating Temperature Range: -55 - 150 °C [-67 - 302 °F] Hardware Accessory Function: Latching, Locking & Retention

Features

Product Type Features	
Connector Hardware Accessory Type	Female Screwlock
Hardware Accessory Function	Latching, Locking & Retention
Body Features	
Primary Product Material	Stainless Steel, Zinc Alloy
Mechanical Attachment	
Hardware Type Included	Jackscrew Tip Female and Spirol Pin
Thread Size	6-32
Product Plating Finish	Non-Hexavalent Chromate
Dimensions	
Product Width	7.92 mm[.312 in]
Product Length	58.55 mm[2.305 in]
Product Height	7.92 mm[.312 in]
Usage Conditions	
Operating Temperature (Max)	150 °C[302 °F]

Operating Temperature Range

-55 - 150 °C[-67 - 302 °F]



Packaging Features

Packaging Method	Bag
Packaging Quantity	100

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | AMP M Series





Board-to-Board Jumpers & Shunts(5)




Connector Caps & Covers(14)



Connector Hardware(47)



Connector Strain Relief(13)



PCB Headers & Receptacles(9)



Rack & Panel Connectors(1)



Rectangular Power Connectors(82)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #201413-4

JACKSCREW ASSY. SERIES"M"



TE Part #350550-7 UMNL SOK 20-14 AU/BR L/P



TE Part #324061
TERMINAL, SOLIS R 8 8



TE Part #2170703-4 CAGE ASSEMBLY, QSFP28 1X1, SPRING









Documents

Product Drawings

SERIES"M" JACK SCREW--FEMALE A

English

CAD Files

Customer View Model ENG_CVM_CVM_201414-1_J.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_201414-1_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_201414-1_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Instruction Sheets

Instruction Sheet (U.S.)

English

AMP Jack Screw Selection Chart for Series "M", COAXICON and Miniature

English

Instruction Sheet (U.S.)

English

AMP TURNABLE JACK SCREW SPECIFICATIONS AND ASSEMBLY INSTRUCTIONS

English