



Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Spirol Pin**
Primary Product Material: **Stainless Steel**
Operating Temperature (Max): **150 °C [302 °F]**
Operating Temperature Range: **-55 – 150 °C [-67 – 302 °F]**
Hardware Accessory Function: **Latching, Locking & Retention**

Features

Product Type Features

Connector Hardware Accessory Type	Spirol Pin
Hardware Accessory Function	Latching, Locking & Retention

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | NECTOR M Series



Customers Also Bought



TE Part #201047-2
SERIES "M" ST. STL. GUIDE SOC.

TE Part #1-201046-2
SERIES "M" MIN RECT GUIDE PIN

TE Part #207234-1
UNASSM JS KIT,M SERIES

TE Part #201848-5
STRAIN RELIEF CLAMP UNASSEM.

TE Part #207235-1
UNASSM JS KIT,M SERIES

TE Part #201369-4
75 POS. PIN HOOD

TE Part #4-1393104-9
KRPA-11DN-110=KRPA

TE Part #201092-4
SER. "M" JACKSCREW STUD KIT

TE Part #201089-4
SERIES "M" JACKSCREW SOCKET ASS

TE Part #201368-4
75 PL. EXTERNAL PIN HOOD

Documents

Product Drawings

SPIROL PIN

English

CAD Files

Customer View Model

ENG_CVM_201501-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_201501-1_H.3d_stp.zip

English

Customer View Model

ENG_CVM_201501-1_H.2d_dxf.zip

English

3D PDF

English

Customer View Model

ENG_CVM_CVM_201501-1_R.3d_igs.zip

English



Customer View Model

[ENG_CVM_CVM_201501-1_R.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_201501-1_R.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

TYPICAL ASSEMBLY

English