




Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**  
Connector & Housing Type: **Plug**  
Mating Alignment: **With**  
Mating Retention: **With**  
Mating Retention Type: **Center Fastener**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Cable-to-Cable, Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Signal Positions	104
Number of Power Positions	104
Number of Positions	104
Number of Rows	8

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Body Features

Primary Product Color	Black
-----------------------	-------



Contact Features

Contact Type	Pin
Contact Retention Within Housing	With
Contact Current Rating (Max)	13 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Strain Relief	Without
Panel Mount Feature	With
Panel Mount Feature Type	Screw Mount
Mating Alignment	With
Mating Retention	With
Mating Retention Type	Center Fastener
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	Phenolic GF
Centerline (Pitch)	3.81 mm[.15 in]

Dimensions

Row-to-Row Spacing	3.3 mm[.13 in]
Connector Width	28.7 mm[1.13 in]
Connector Height	71.88 mm[2.83 in]
Wire Size	30 – 14 AWG
Connector Length	107.37 mm[4.227 in]

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features

--	--



Packaging Quantity	1
Packaging Method	Carton

Product Compliance


For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 202119-2  
PIN HOOD



TE Part # 201692-9  
CNTR FASTENER PLUG BLOCK,104P



TE Part # 202174-5  
GUIDE SOC. ASSY. 104 CTR. FSTN



TE Part # 201532-4  
RECEPT BLOCK,104 POSN,M SERIES




TE Part # 1-201692-7  
CNTR FASTENER PLUG BLOCK,104P



TE Part # 202169-1  
M-SERIES HALF SHIELD KIT

Also in the Series | AMP M Series




Board-to-Board Jumpers & Shunts(5)



Connector Caps & Covers(14)



Connector Hardware(47)



Connector Strain Relief(13)



PCB Headers & Receptacles(9)



Rack & Panel Connectors(1)



Rectangular Power Connectors(82)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #206437-1  
CPC PLUG ASSEMBLY SIZE 23-57



TE Part #206837-1  
CPC PLUG ASSEMBLY SIZE 23-24




TE Part #66103-1  
III+ PIN,24-20,30AU>10,LP



TE Part #201047-2  
SERIES "M" ST. STL. GUIDE SOC.



TE Part #2361497-2  
SDE F PIN 32-20 DIE SET



TE Part #745779-2  
HD SOZ TO RELEASE KIT



TE Part #1393143-8  
27E125=SOCKET,R10,10,SLG,PHE



TE Part #1658539-4  
PIN CONT DUPL PLT LP HD-20 AMP



Documents

CAD Files

3D PDF

English

Customer View Model

ENG\_CVM\_201692-4\_AN.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_201692-4\_AN.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_201692-4\_AN.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_201692-4\_AY.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_201692-4\_AY.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_201692-4\_AY.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

M\_SERIES\_PIN\_AND\_SOCKET\_CONNECTORS

English

Instruction Sheets

Instruction Sheet (U.S.)

English

M Series 104-Position Plug & Receptacle Connectors w/Center Fasteners

English





[Agency Approvals](#)  
[Agency Approval Document](#)  
English