



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Shield & Strain Relief**  
Cable Exit Angle: **45°**  
Primary Product Material: **Carbon Steel**  
Number of Positions: **104**  
Operating Temperature (Max): **150 °C [ 302 °F ]**

Features

Product Type Features

|                      |                        |
|----------------------|------------------------|
| Connector Cover Type | Shield & Strain Relief |
|----------------------|------------------------|

Configuration Features

|                     |     |
|---------------------|-----|
| Number of Positions | 104 |
|---------------------|-----|

Body Features

|                          |              |
|--------------------------|--------------|
| Cable Exit Angle         | 45°          |
| Primary Product Material | Carbon Steel |

Mechanical Attachment

|             |      |
|-------------|------|
| Thread Size | 4-40 |
|-------------|------|

Dimensions

|                                 |                    |
|---------------------------------|--------------------|
| Product Width                   | 29.08 mm[1.145 in] |
| Product Length                  | 72.26 mm[2.845 in] |
| Compatible Cable Diameter Range | 25.4 mm[1 in]      |
| Product Height                  | 60.32 mm[2.375 in] |

Usage Conditions



|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature (Max) | 150 °C[302 °F]             |
| Operating Temperature Range | -55 – 150 °C[-67 – 302 °F] |

Packaging Features

|                    |     |
|--------------------|-----|
| Packaging Method   | Bag |
| Packaging Quantity | 1   |

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2023 (233)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                  |

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series

AMP M Series



Customers Also Bought







Documents

Product Drawings  
[M-SERIES HALF SHIELD KIT](#)  
English

CAD Files  
Customer View Model  
[ENG\\_CVM\\_202169-1\\_K2.3d\\_igs.zip](#)  
English  
Customer View Model  
[ENG\\_CVM\\_202169-1\\_K2.3d\\_stp.zip](#)  
English  
Customer View Model  
[ENG\\_CVM\\_202169-1\\_K2.2d\\_dxf.zip](#)  
English

3D PDF  
English  
Customer View Model  
[ENG\\_CVM\\_CVM\\_202169-1\\_L.3d\\_igs.zip](#)  
English  
Customer View Model  
[ENG\\_CVM\\_CVM\\_202169-1\\_L.3d\\_stp.zip](#)  
English  
Customer View Model  
[ENG\\_CVM\\_CVM\\_202169-1\\_L.2d\\_dxf.zip](#)  
English

3D PDF  
3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages  
[M\\_SERIES\\_PIN\\_AND\\_SOCKET\\_CONNECTORS](#)  
English

Instruction Sheets  
[Instruction Sheet \(U.S.\)](#)  
English



SHIELD & CABLE CLAMP FOR 104 POSITION CENTER FASTENER CONNECTOR

English

Agency Approvals

Agency Approval Document

English