TE Internal #: 2041441-1

TE Internal Description: Displayport, 20P, Vertical, DIP Type, 30u"

View on TE.com >



Connectors > Audio & Video Connectors > DisplayPort Connectors











PCB Mount Orientation: Vertical

PCB Mount Location: Top

Termination Method to PCB: Through Hole - Solder

Screw Flange: Without

PCB Mount Retention Type: Boardlock

#### **Features**

#### **Product Type Features**

Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

#### **Configuration Features**

PCB Mount Orientation	Vertical
Number of Positions	20

#### **Body Features**

Shell Plating Material	Nickel	
------------------------	--------	--

#### **Contact Features**

Contact Base Material	Brass
Contact Mating Area Plating Material	Gold (Au)
Contact Current Rating (Max)	.5 A

#### **Termination Features**

Termination Post & Tail Length	2.1 mm[.082 in]
Termination Method to PCB	Through Hole - Solder



#### Mechanical Attachment

PCB Mount Location	Тор
Screw Flange	Without
PCB Mount Retention Type	Boardlock
Connector Mounting Type	Board Mount

#### **Housing Features**

Housing Material	LCP
Housing Color	Black
Shell Material	Phosphor Bronze
Centerline (Pitch)	1 mm[.05 in]

## Operation/Application

Assembly Process Feature	Without Pick and Place Cover
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0

## **Packaging Features**

Packaging Mothad	Poy & Tray Tray
Packaging Method	Box & Tray, Tray

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Customers Also Bought**




TE Part #CAT-104MTA-PVSHH
Polyester Vertical PCB Header: 2.54
mm, Shrouded, MTA 100



TE Part #1776293-4
TSB23004DS=EUROPA TERM BLK,
8MM



TE Part #CAT-D9934-A75E Header Assembly: Wire-to-Board, 15A, gold or tin plated



TE Part #1623795-3 SQP10 15R 5% WIRE







DET SW10.6X10.0X6.0 TH HORZ. NO

**AG TRY** 



### **Documents**

**Product Drawings** 

Displayport,20P,Vertical,DIP Type,30u"

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2041441-1\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2041441-1\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2041441-1\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use



**Product Specifications** 

**Product Specification** 

English

**Product Specification** 

English