205562-2 - ACTIVE

AMPLIMITE

TE Internal #: 205562-2 37 Position D-Shaped Connector, Plug, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Wire & Cable, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: **37** Connector & Housing Type: **Plug** Connector System: **Cable-to-Cable** Connector Mounting Type: **Panel Mount** Connector Shell Size: **4**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Plug
Connector System	Cable-to-Cable



Connector Shell Size	4
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Power/Signal/Coax Combination	No
Number of Positions	37
Body Features	
Front Shell Material	Steel
Mating Retention Feature Material	Stainless Steel
Rear Shell Plating Material	Cadmium
Rear Shell Material	Steel
Front Shell Plating Material	Cadmium
Contact Features	
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Size	Size 20

205562-2

37 Position D-Shaped Connector, Plug, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Wire & Cable, Signal



Contact Type	Pin
Contact Current Rating (Max)	7.5 A
Contact Options	Supplied – Uninstalled
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Mating Alignment	Without
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Package

r deltaging metho

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Cd (100% in 10563731072) Pb (1.5% in 74025566) Aticle Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

C For support call+1 800 522 6752

205562-2

37 Position D-Shaped Connector, Plug, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Wire & Cable, Signal



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought







205562-2

37 Position D-Shaped Connector, Plug, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Wire & Cable, Signal





Documents

Product Drawings AMPLIMITE,ASY,PLUG,STD,109,4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_205562-2_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_205562-2_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_205562-2_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.