



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**  
Connector & Housing Type: **Hermaphroditic**  
Connector System: **Wire-to-Board**  
UL Flammability Rating: **UL 94V-0**  
Number of Positions: **4**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Hermaphroditic
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	90 VAC
-------------------	--------

Body Features

Primary Product Color	Natural
-----------------------	---------

Mechanical Attachment

--	--



Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	LCP
Centerline (Pitch)	4 mm [.157 in]

Dimensions

Connector Width	20.4 mm [.803 in]
Connector Height	6.35 mm [.249 in]
Connector Length	19.35 mm [.762 in]

Usage Conditions

Operating Temperature Range	-40 – 221 °C [-40 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Identification Marking

Circuit Identification Feature	With
--------------------------------	------

Industry Standards

Compatible With Agency/Standards Products	C22.2 No. 182.3-M1987, CSA, UL
Compatible With Approved Standards Products	UL E28476
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.




Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 2058302-1  
Socket Contact



TE Part # 2213373-1  
Socket Contact, gold plated




TE Part # 2213374-1  
Blade Contact, gold plated




TE Part # 2213617-2  
HERM BLADE & RCPT ,LATCH, POST, SEL GOLD


Customers Also Bought




TE Part #2238143-1  
250 FASTON,REC.,22-18 AWG,NPST




TE Part #2058301-1  
Blade Contact




TE Part #794955-1  
VAL-U-LOK PIN BR SN 22-18AWG




TE Part #5520258-2  
MJ,TE,6P/4C,PNL STOPS,TRAY P




TE Part #61455-2  
AMP EDGE TERM IS 30-22 TPPHBZ



TE Part #EM7486-000  
X2-5.0-0-SP-SM



TE Part #1586317-1  
VAL-U-LOK SKT BR SN 26-22 LP



TE Part #1-1470107-0  
2.0MM PITCH CRIMP HOUSING 10P



Documents

Product Drawings

WTB HOUSING, 4 POS, NATURAL

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_2058299-2\_A.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2058299-2\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2058299-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HERMAPHRODITIC\_WIRE-TO-BOARD\_AND\_BOARD-TO-BOARD

HERMAPHRODITIC\_WIRE-TO-BOARD\_AND\_BOARD-TO-BOARD

English

Hermaphroditic Connectors with Select Gold Plating Flyer

Hermaphroditic Connectors with Select Gold Plating Flyer

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English