




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Sealing Plug**
Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**
Primary Product Color: **Red**
Primary Product Material: **Silicone Rubber**
Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Sealing Plug
----------------------------	--------------

Body Features

Primary Product Color	Red
Primary Product Material	Silicone Rubber

Contact Features

Compatible With Contact Size	5
------------------------------	---

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Method	Package
------------------	---------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2024
(240)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Part #CAT-T3437-C6298
CM-SCE-TP Military Grade Markers



TE Part #226335-000
CTA-0166



TE Part #ZPF000000000002002
182-0601-08




TE Part #225791-2
COAXIAL RF SOCKET, SZ 5



TE Part #ZPF000000000103303
787-8009-00




TE Part #070663-000
55A1812-22-9-9CS2275



TE Part #ZPF000000000017898
FAST-E 08 M-X-A 00 A



TE Part #E67401-000
MP-445445-2-8A



Documents

Product Drawings

SEALING PLUG,COAX,ARINC

English

CAD Files

Customer View Model

ENG_CVM_205975-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_205975-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_205975-1_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1308940_Sec4_arinc600

English

ARINC 600 Next Generation Receptacle Connector

English

Instruction Sheets

Instruction Sheet (U.S.)

English

AMP RM AND RME SERIES CONNECTORS WITH SIZE 5 AND 9 COAXIAL CONTACTS

English