



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Number of Positions: 4

Connector Product Type: **Housing**

Operating Voltage: **600 VDC**

Connector System: **Wire-to-Wire**

Sealable: **No**

Features

Product Type Features

Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	Without
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Reverse Gender	No
Contact Type	Pin
Contact Current Rating (Max)	13 A
Contact Protection	With



Mechanical Attachment

Mating Retention Type	Threaded Coupling
Thread Size	5/8-24 UNEF-2A
Polarization Code	A
Panel Mount Feature Type	Flange with Mounting Holes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Panel Mount
Mating Retention	With
Panel Mount Feature	With

Housing Features

Body Orientation	Straight
Housing Color	Black
Housing Material	PA 6.6 GF
Circular Connector Shell Size	11

Dimensions

Compatible Insulation Diameter Range	2.54 mm[.1 in]
--------------------------------------	----------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	5
Packaging Method	Small Pack

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 206061-1  
RECPT, SZ 11-4, CPC

Also in the Series | AMP Circular Plastic Connectors

 <div>Circular Connector Backshells &amp; Clamps(1)</div>	 <div>Circular Power Connectors(423)</div>	 <div>Connector Contacts(6)</div>	 <div>Connector Hardware(10)</div>
--	--	--	---



Power Contacts(6)



Sealing Sleeves(2)


Customers Also Bought




TE Part #207496-9  
SKT HDR ASSY,4P,MMATE LF




TE Part #207530-7  
SKT HDR ASSY,18 POSN,METRIMATE



TE Part #1586314-2  
VAL-U-LOK PIN BR AU 22-18 LP



TE Part #811466-000  
462A422-50-0




TE Part #1586018-4  
4P PM PLUG VAL-U-LOK V0



TE Part #205841-3  
CPC RECPT ASSEMBLY SIZE 11-8




TE Part #34105-3  
SOLIS,RING,22-16,6,UNPLTD



TE Part #472139-000  
22759/44-16-9



TE Part #207524-9  
SKT HDR ASSY,6P,MMATE LF



TE Part #5580654008  
VPB-5/8-0SPCS5444

Documents

Product Drawings

CPC RECPT,SZ 11-4,SMALL PACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_206061-3\_AD.2d\_dxf.zip



English

Customer View Model

[ENG\\_CVM\\_CVM\\_206061-3\\_AD.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_206061-3\\_AD.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Connector, Circular Plastic](#)

English

[Product Specification](#)

English

Agency Approvals

[CSA Certificate](#)

English