206503-4 - ACTIVE

AMPLIMITE

TE Internal #: 206503-4 62 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.29 mm [.09 in] Centerline, Wire & Cable, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: 62 Connector & Housing Type: Receptacle Connector System: Cable-to-Cable Connector Mounting Type: Panel Mount Connector Shell Size: 4

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable



Connector Shell Size	4			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Power/Signal/Coax Combination	No			
Number of Positions	62			
Body Features				
Front Shell Material	Brass			
Mating Retention Feature Material	Copper Alloy			
D-Sub Connector Insert Arrangement	MS18276-2			
Rear Shell Plating Material	Gold			
Rear Shell Material	Brass			
Front Shell Plating Material	Gold			
Contact Features				
Contact Size	Size 22			
Contact Type	Socket			

206503-4

62 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.29 mm [.09 in] Centerline, Wire & Cable, Signal



Contact Current Rating (Max)	5 A
Contact Options	Supplied – Uninstalled
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Mating Alignment	Without
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	2.29 mm[.09 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

206503-4

62 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.29 mm [.09 in] Centerline, Wire & Cable, Signal




chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought



TE Part #206504-4 PLUG ASSY,78 POSN,AMPLIMITE	TE Part #206500-4 PLUG ASSY,26 POSN,AMI	rt #206801-2 .IMITE RECEPT ASY,25 POS	TE Part #207253-2 RECEPT ASSY,9 POSN,AMPLIMITE





Documents

C For support call+1 800 522 6752

206503-4

62 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 4 Shell Size, 2.29 mm [.09 in] Centerline, Wire & Cable, Signal



Product Drawings RECEPT ASSY,62 POSN,AMPLIMITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_206503-4_AS.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_206503-4_AS.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_206503-4_AS.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.