



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Sealing Cap**
Primary Product Color: **Black**
Primary Product Material: **Thermoplastic**
Operating Temperature (Max): **80 °C [176 °F]**
Operating Temperature Range: **-40 – 80 °C [-40 – 176 °F]**

Features

Product Type Features

Sealable	Yes
Connector Cover Type	Sealing Cap

Body Features

Seal Material	Polychloroprene
Primary Product Color	Black
Primary Product Material	Thermoplastic

Mechanical Attachment

Component Retention Feature	Plastic Strap
-----------------------------	---------------

Housing Features

Compatible With Connector Shape	Circular
---------------------------------	----------

Usage Conditions

Operating Temperature (Max)	80 °C[176 °F]
Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]

Operation/Application

--	--



Compatible With Connector Shell Size	17
--------------------------------------	----

Industry Standards

UL Flammability Rating	UL 94V-1
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	100

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Triphenyl phosphate (TPP) (1% in 4995546) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 211766-1 CPC PLUG ASSEMBLY SIZE 17-9	 TE Part # 213893-2 CPC RECPT SEALED SIZE 17-10	 TE Part # 206039-1 CPC PLUG ASSEMBLY SIZE 17-28	 TE Part # 206554-1 CPC PLUG ASSEMBLY SIZE 17-16
 TE Part # 796275-2 SLD CPC RCPT ASSY,17-16,STD SX	 TE Part # 796276-2 SLD CPC RCPT ASSY,17-16,STD SX	 TE Part # 213894-2 CPC RECPT SEALED SIZE 17-10	 TE Part # 206036-5 CPC RECPT ASSEMBLY SIZE 17-16
 TE Part # 213849-1 CPC PLUG ASSEMBLY SIZE 17-16	 TE Part # 796274-1 SLD CPC PLUG ASSY,17-16,STD SX	 TE Part # 796273-1 SLD CPC RCPT ASSY,17-14,REV SX	 TE Part # 796274-2 SLD CPC PLUG ASSY,17-16,STD SX
 TE Part # 796271-1 SLD CPC PLUG ASSY,17-14,REV SX	 TE Part # 207445-2 SEALING CAP ASSY,SZ 17,CPC	 TE Part # 206043-4 CPC RECPT ASSEMBLY SIZE 17-14	 TE Part # 211768-1 CPC PLUG ASSEMBLY SIZE 17-9
 TE Part # 206037-2 CPC PLUG ASSEMBLY SIZE 17-3	 TE Part # 206426-1 CPC PLUG ASSEMBLY SIZE 17-3	 TE Part # 206043-5 CPC RECPT ASSEMBLY SIZE 17-14	 TE Part # 213889-2 CPC RECPT SEALED,SIZE 17-3

Also in the Series | [AMP Circular Plastic Connectors](#)




Circular Power Connectors(423)



Connector Backshells(1)



Connector Caps & Covers(16)



Connector Hardware(10)



Connector Seals & Cavity Plugs(35)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)


Customers Also Bought




TE Part #1879004-5
RSS7 33K 5% LOOSE



TE Part #HD34-24-19PE-059
REC,19P,AL,E,CBL CLMPBT,DRAIN,12 /16,P,MC



TE Part #284047-5
TERMI-BLOK VERTICAL PLUG STACK



TE Part #284093-6
TERMI-BLOK PCB MOUNT 90, 5,0MM



TE Part #1SNG607009R0000
EP-LN-M20-BL-A



TE Part #1-499252-1
044 STRAIN RELIEF A-L RCPT



TE Part #8-1879222-0
CPF 0603 140R 0.1% 25PPM 1K RL



TE Part #2351462-4
MINSA SW HLV 0.30N 0.5A AC SC Lg-L-Bnd



TE Part #3-1393243-3
RTE44024



TE Part #341001-4
PL 250 REC TERMINAL 13-11 TPPB LP

Documents



Product Drawings

SEALING CAP ASSY, 17,CPC ROHS Compliant

English

CAD Files

Customer View Model

ENG_CVM_CVM_207445-3_N.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_207445-3_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_207445-3_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English