

AMP | LEAVYSEAL

TE Internal #: 2098891-2

Black, PBT GF, Flange Assembly, -40 – 140 °C [-40 – 284 °F],

LEAVYSEAL

View on TE.com >



Connectors > Automotive Connector > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Mounting Accessories











Primary Product Color: Black

Primary Product Material: PBT GF

Automotive Connector Accessory Type: Flange Assembly

Operating Temperature Range: -40 - 140 °C [-40 - 284 °F]

All LEAVYSEAL Mounting Accessories (8)

Features

Product Type Features

Automotive Connector Accessory Type	Flange Assembly
Configuration Features	
Number of Positions	39, 62
Body Features	
Primary Product Color	Black
Primary Product Material	PBT GF
Usage Conditions	
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Method	Package



Packaging Quantity

Other

Serviceable	Yes	

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | LEAVYSEAL






Automotive Connector Caps & Covers



Automotive Connector Locks & Position Assurance(4)



Automotive Housings(117)





Customers Also Bought



TE Part #K1060611 Relay 29-311-12A



TE Part #2-2071567-1 ECK250HAAPA



TE Part #CAT-L489-CH8172 LEAVYSEAL Connector Housings



SLIDE, FOR TAB HOUSING, 15POS.



TE Part #1488991-6 3POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #1416010-1 V23132A2001B200



ADAPTER, FOR TAB HOUSING, ASSY



Documents

Product Drawings

4 bay mounting frame assembly

English

CAD Files

3D PDF

3D

Customer View Model



ENG_CVM_CVM_2098891-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2098891-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2098891-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

LEAVYSEAL CONNECTORS

English

Product Specifications

Application Specification

English