




Fiber Optics > Fiber Optic Connectors > Rugged Fiber Connectors > Expanded Beam Fiber Optics



Fiber Optic Product Type: **Ferrule Kit**

Compatible Fiber Diameter: **126 µm**

Fiber Optic Mode: **Multimode**

Features

Product Type Features

| | |
|--------------------------|-------------|
| Fiber Optic Product Type | Ferrule Kit |
| Fiber Optic Mode | Multimode |

Signal Characteristics

| | |
|--------------------|----|
| Number of Channels | 12 |
|--------------------|----|

Body Features

| | |
|--------------------|-------------------------|
| Strain Relief Type | Boot |
| Boot Material | Thermoplastic Elastomer |

Dimensions

| | |
|---------------------------|--------|
| Compatible Fiber Diameter | 126 µm |
|---------------------------|--------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2226880-1
CONNECTOR KIT, RCPT,
BACKPLANE, MT,V66.4




TE Part # 2000973-1
Connector Kit, Rcpt, Backplane, MT,
V66.1


Customers Also Bought




TE Part #EM7479-000
X2-1.0-0-SP-SM




TE Part #NB14902001
DWP-125-3/16-0-STK




TE Part #2000974-1
Connector Kit, Plug, Module Card, MT,
V66.1




TE Part #2000973-1
Connector Kit, Rcpt, Backplane, MT,
V66.1




TE Part #2375153-2
FERRULE KIT, MT, 24F-M, MM



TE Part #F77737-000
HX-SCE-1K-4.8-50-9



TE Part #CAT-C339-T2201
Wirewound Resistor: Mineral, 2.5 Kw



TE Part #2388444-1
Conn Kit, Rcpt, Full-Width, 3-MT, 2x, V66.
5-D

Documents

- CAD Files
- 3D PDF
- 3D



Customer View Model

[ENG_CVM_CVM_2102866-1_1_c-2102866-1-1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2102866-1_1_c-2102866-1-1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2102866-1_1_c-2102866-1-1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Rugged Fiber Optics](#)

English

Product Specifications

[Application Specification](#)

English