



Connectors > Lighting Connectors > Plug & Socket Lighting Connectors



Connector System: **Wire-to-Wire**  
Number of Positions: **1**  
Centerline (Pitch): **.14 mm [ 3.5 in ]**  
Sealable: **Yes**  
Connector & Contact Terminates To: **Wire & Cable**

Features

Product Type Features

Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
---------------------	---

Electrical Characteristics

Operating Voltage	400 VDC
-------------------	---------

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Current Rating (Max)	5 A
------------------------------	-----

Housing Features

Centerline (Pitch)	.14 mm[3.5 in]
--------------------	----------------



Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2151651-2  
OCEAN-2.0-APPLICATOR-S-055F079O-RSA

TE Part # 2106135-3  
Assembly, Plug, 3-Position

TE Part # 2106135-4  
Assembly, Free Hanging Plug, SLC, 4 pos

TE Part # 2305570-1  
Strip Terminal Cutter-Side Feed-No Crimp





TE Part # 2154854-1

[SlimSeal Assembly, Plug, 1 position](#)



TE Part # 7-2151651-7

[OCEAN\\_2.0\\_SPARE\\_PART\\_KIT-055F079O](#)



TE Part # 2151651-1

[OCEAN-2.0-APPLICATOR-S-055F079O-RSM](#)



TE Part # 2106135-2

[Assembly, Free Hanging Plug, SLC, 2 pos](#)



TE Part # 2063957-1

[SDE COMMERCIAL TOOL & DIE](#)

Also in the Series | [SlimSeal Connectors Headers](#)



[Plug & Socket Lighting Connectors\(19\)](#)

Customers Also Bought



TE Part #2106135-2

[Assembly, Free Hanging Plug, SLC, 2 pos](#)



TE Part #5745171-5

[AMPL CBL CLMP KIT SZ 1](#)



TE Part #2106135-3

[Assembly, Plug, 3-Position](#)




TE Part #58654-1

[PRO-CRIMP TL & DIE MOD II](#)



TE Part #58614-1

[PROCRIMP, HT&D SL156](#)




TE Part #1-967412-2

[JPT GEH ASSY 2P](#)



TE Part #5070022021

[RNF-100-1/16-X-STK](#)



TE Part #58654-2

[PRO-CRIMPER DIE SET ONLY](#)



TE Part #CB5052-000  
[BSTS-17X4](#)



TE Part #A39093-000  
[B-155-11](#)

Documents

Product Drawings

[CONTACT,Recept, SLC, Tin Plated, On Stip](#)

English

CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_2106123-1\\_A1.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2106123-1\\_A1.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2106123-1\\_A1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SLIMSEAL\\_SSL\\_CONNECOTS](#)

English

Product Specifications

[Application Specification](#)

English