

TE Internal #: 2108971-8

Flexible PCB (FPC) Antenna, Wide Band, UWB, Internal/Embedded


Mount, Adhesive Mount, MHF4, Omnidirectional, 3 < 6 dBi Peak

Gain

View on TE.com >



#### Antennas



Antenna Type: Flexible PCB (FPC)

Band Type: Wide Band
Primary Application: UWB
Wireless Application: UWB

Mounting Location: Internal/Embedded

### **Features**

### Product Type Features

Antenna Termination	MHF4
Antenna Product Type	Antenna
Configuration Features	
Antenna Style	Flexible PCB
Antenna Type	Flexible PCB (FPC)
Band Type	Wide Band
Mounting Location	Internal/Embedded
Electrical Characteristics	
Impedance	50 Ω
Antenna Operation	Passive
VSWR (Max)	<1.9:1
Signal Characteristics	

Frequency Band

Gain (Max)

5900 – 8500 MHz, 3100 – 5000 MHz

3.2 dB



Peak Gain	3 < 6 dBi
Body Features	
Product Weight	.71 g[.038 oz]
Mechanical Attachment	
Polarization	Linear
Mounting Type	Adhesive Mount
Dimensions	
Product Width	35.1 mm[1.381 in]
Product Length	24.1 mm[.949 in]
Product Height	.15 mm[.006 in]
Cable Length	.2 m[.65 ft]
Operation/Application	
Wireless Standard	UWB
Directionality	Omnidirectional
Industry Standards	
Primary Application	UWB
Wireless Application	UWB
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Bag & Box
Other	
Precision Level	Standard

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241)



#### Does not contain REACH SVHC

Halogen Content L	_ow Bromine/Chlorine - Br and Cl < 900
·	opm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# **Customers Also Bought**



















### **Documents**

### **Product Drawings**

FPC ANT, MHF 4L, 200mm, UWB 3~8.5 GHz

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2108971-8\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2108971-8\_1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2108971-8\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

2108921-X Antennas Application Notes

English

FPC ANT, MHF/MHF4L, UWB 3-8.5GHz

English

## **Product Specifications**

**Product Specification** 

English