



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cable Seal**
Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**
Primary Product Color: **Black**
Operating Temperature (Max): **85 °C [185 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Cable Seal
----------------------------	------------

Body Features

Primary Product Color	Black
-----------------------	-------

Dimensions

Compatible Cable Diameter Range	13 – 16.7 mm[.512 – .657 in]
---------------------------------	------------------------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operating Temperature (Max)	85 °C[185 °F]

Packaging Features

Packaging Method	Loose Piece
Packaging Quantity	100

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2120330-1
METAL HOOD / KIT




TE Part # 2120340-1
PLASTIC HOOD / KIT

Also in the Series | MotorMan




Circular Connector Contact Inserts(2)



Connector Caps & Covers(2)



Connector Hardware(4)




Connector Seals & Cavity Plugs(2)



Connector Strain Relief(2)



Rectangular Connector Hoods & Bases (4)



Rectangular Contact Inserts(5)

Customers Also Bought



TE Part #2120330-1
METAL HOOD / KIT



TE Part #926476-6
MOD 4 HSG




TE Part #BSA078N00590100000
923 PLUG, SPEEDTEC



TE Part #2120451-1
HOOD KIT MOTORMAN HC 180
PLAST



TE Part #7-1452656-2
MCON 1.2 LL REC SRC AU



TE Part #2120336-2
PROTECTION COVER



TE Part #60-0200-080-P00
BANDOLEER CONTACT SOCKET 1
MM



TE Part #60-0199-080-P00
BANDOLEER CONTACT SOCKET
1MM,7000PCS ROL



TE Part #60-0023-011-P00
CONTACT SOCKET 2 MM



TE Part #60-0046-021-P00
BANDOLEER CONTACT SOCKET 2
MM

Documents

Product Drawings
SINGLE WIRE SEAL

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_2120337-1_E_c-2120337-1-e.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2120337-1_E_c-2120337-1-e.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2120337-1_E_c-2120337-1-e.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English