




Connectors > Power Connectors > Circular Power > Circular Power Connectors



Number of Positions: 14

Connector Product Type: Connector Assembly

Operating Voltage: 250 VDC

Connector System: Wire-to-Board, Wire-to-Panel

Sealable: No

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector System	Wire-to-Board, Wire-to-Panel
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic

Configuration Features

Number of Positions	14
Number of Power Positions	0
Number of Signal Positions	14

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Contact Features

Reverse Gender	Yes
----------------	-----



Contact Type	Socket
--------------	--------

Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

Mechanical Attachment

Panel Mount Feature Type	Flange with Threaded Inserts
Mating Alignment Type	Keyed
Mating Retention Type	Threaded Coupling
Mating Alignment	With
Polarization Code	A
Connector Mounting Type	Panel Mount
Mating Retention	With
Panel Mount Feature	With

Housing Features

Housing Color	Black
Housing Material	Thermoplastic
Circular Connector Shell Size	17

Dimensions

Assembly Length	36.02 mm[1.418 in]
-----------------	--------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	24
Packaging Method	Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.7% in 74019106) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 206070-8
CABLE CLAMP KIT #17



TE Part # 207241-1
CABLE BOOT,SZ 17,CPC



TE Part # 207387-2
CABLE GRIP,SZ 17,CPC



TE Part # 2050013-1
SHORT RETAINER FOR 64P MQS CONNECTOR



TE Part # 2050989-2
2.LOCK REC HSG




TE Part # 1-206070-0
CABLE CLAMP KIT, BULK PKG



TE Part # 1670108-1
BLIND PLUG FEMALE 1.5



TE Part # 207387-1
CABLE GRIP,SZ 17,CPC



TE Part # 4-2407269-4
CAP, CPC, SIZE 17 RECP, YELLOW



TE Part # 796381-2
R/A STRN RELIEF KIT,SZ 17,CPC




TE Part # 1546349-2
R/A CABLE CLAMP KIT,SZ 17,CPC



TE Part # 206322-9
CABLE CLAMP SIZE 17



TE Part # 1-206322-0
CABLE CLAMP KIT, BULK PKG



TE Part # 4-2407269-1
CAP, CPC, SIZE 17 RECP, ORANGE



TE Part # 4-2407269-3
CAP, CPC, SIZE 17 RECP, RED



TE Part # 207299-3
FLANGE PLUG MOUNT CPC



TE Part # 206044-1
CPC PLUG ASSEMBLY SIZE 17-14




TE Part # CAT-A11-T273
1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB



TE Part # 4-2407269-2
CAP, CPC, SIZE 17 RECP, BLACK

Also in the Series | AMP Circular Plastic Connectors




Circular Power Connectors(211)



Connector Backshells(1)



Connector Caps & Covers(16)



Connector Hardware(10)



Connector Seals & Cavity Plugs(35)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)

Also in the Series

Circular Plastic Connectors Series 1



Circular Power Connectors(211)



Connector Contacts(260)




Power Contacts(260)


Customers Also Bought




TE Part #5-103635-5
06 MTE HDR SRRA LTCH.100CL LF



TE Part #825433-9
MOD 2 PINHDR 1X9 P.




TE Part #1586037-4
4P VERT HDR VAL-U-LOK V2



TE Part #280708-2
MOD 2 CONTACT



TE Part #825437-3
MOD 2 PINHDR 1X03P.



TE Part #4-2176331-4
CRGP 2512 39K 1%



TE Part #2387121-1
PLUG CONN CA,REV,SER 1,SZ 14-14,L
0.5M



TE Part #2176162-9
UPF25 0.1% 5PPM 50R



TE Part #5520259-4
MJ,TE,8P,TRAYS



TE Part #1825190-3
DIP Shunt,4 pos



Documents

CAD Files

Customer View Model
[ENG_CVM_CVM_213729-6_L.2d_dxf.zip](#)
English

3D PDF

3D
Customer View Model
[ENG_CVM_CVM_213729-6_L.3d_igs.zip](#)
English

Customer View Model
[ENG_CVM_CVM_213729-6_L.3d_stp.zip](#)
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)
English

Product Specifications

[Application Specification](#)
English
[Application Specification](#)
English

Agency Approvals

[CSA Certificate](#)
English