



AMP

TE Internal #: 2151376-1

Mechanical Feed, OCEAN, Male Adapter Post - Atlantic Style

Interface, 30 mm (1.12") Stroke Terminator / 40 mm (1.62") Stroke Terminator, Applicators

[View on TE.com >](#)

Application Tooling > Applicators



Applicator Feed Type: **Mechanical**

Applicator & Product Style: **OCEAN**

Application Interface: **Male Adapter Post - Atlantic Style**

Terminator Type: **30 mm (1.12") Stroke Terminator, 40 mm (1.62") Stroke Terminator**

Insulation Diameter Range: **1.7 – 2.69 mm [.067 – .106 in]**

Features

Contact Features

Contact Size	AMPSEAL 1.3mm
--------------	---------------

Dimensions

Insulation Diameter Range	1.7 – 2.69 mm[.067 – .106 in]
---------------------------	-------------------------------

Other

Applicator Feed Type	Mechanical
Applicator & Product Style	OCEAN
Application Interface	Male Adapter Post - Atlantic Style
Terminator Type	30 mm (1.12") Stroke Terminator, 40 mm (1.62") Stroke Terminator
Service Options	Capability Study, Crimped Samples, Cross Section - Photograph
Alignment Aids	Alignment Gauge, Camera

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Out of Scope
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 CRIMPER REPRESENTATION ONLY TE Part # 1-456405-3 CRIMPER WIRE .080 F	 TE Part # 2161500-2 AMP 5K/40 CE TERMINATOR, W/QCM	 TE Part # 2119805-1 SHEAR HOLDER, FRONT, CUT	 TE Part # 2119806-1 INSERT, SHEAR
 TE Part # 2217001-3 MODEL G II STRIPPING MODULE	 CRIMPER REPRESENTATION ONLY TE Part # 1633965-2 CRIMPER, INSUL O PREMIUM	 KIT REPRESENTATION ONLY TE Part # 7-2151376-7 OCEAN_2.0_SPARE_PART_KIT-080F120O	 TE Part # 2161700-4 5K CE STRIPPING MODULE



TE Part # CAT-AM78-T273
AMPSEAL Crimp Contacts: 1.3 mm

TE Part # 1803095-6
FLOATING SHEAR, FRONT

TE Part # 3-1333204-2
ANVIL, COMBINATION .080

TE Part # 2161700-5
5K CE STRIPPING MODULE W/ CQM

TE Part # 454276-5
FLOATING SHEAR

Customers Also Bought

TE Part #TAD1473A201-020
M12D4-MS-MS-TPE SH-2.0M

TE Part #2-32053-1
PIDG SPD 22-16 COMM 22-18MIL 8

TE Part #640416-2
BLADE TAB 250 18-14AWG TPBR

TE Part #61134-3
110 FASTON TAB TPBR

TE Part #66023-2
TAB,PIDG TERMI-BK 22-16

TE Part #5-534206-8
16 MODII VRT DR CE 100/115

TE Part #2151496-1
OCEAN_2.0_APPLICATOR-S-055F062O-RSM

TE Part #5084616-1
0.8FH,R13H.5,040,08/Sn,TR,SC

TE Part #2151790-1
OCEAN_2.0_Applicator-S-042F059F-RSM

TE Part #1-1879417-6
CPF 0603 750K 0.1% 25PPM 1K RL

Documents



Product Drawings

OCEAN_2.0_Applicator-S-080F120O-RSM

English

Datasheets & Catalog Pages

TE_APPLICATORS_CATALOG

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English