

## CGS | CGS TJT

TE Internal #: 2176249-6

6.8 ohm Chassis Mount Resistor, 300 W, Wire Wound, 2


Terminations, ±260 ppm/°C, 5 %, Flying Leads, Loose Piece - Box,

10 mm [.394 in] Height, CGS TJT

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor Resistance Class: Up to  $1k\Omega$  Resistance Value:  $6.8 \Omega$  Power Rating: 300 W

Element Type: Wire Wound

### **Features**

#### **Product Type Features**

Product Type Features	
Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Resistance Class	Up to $1k\Omega$
Resistance Value	6.8 Ω
Power Rating	300 W
Passive Component Tolerance	5 %
Termination Features	
Number of Terminations	2

Flying Leads

Chassis Mount Resistor Termination Type



Panel Mount Feature Type	Flange with Mounting Holes
Dimensions	
Product Height	10 mm[.394 in]
Product Length	210 mm[8.268 in]
Product Width	80 mm[3.149 in]
Usage Conditions	
Operating Temperature Range	-25 – 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Compatible Parts







## Also in the Series | CGS TJT



# Customers Also Bought





PB OFF/ON FC BLU M1 TERM GRE

LED IP68







LENGTH











6.8 ohm Chassis Mount Resistor, 300 W, Wire Wound, 2 Terminations, ±260 ppm/°C, 5 %, Flying Leads, Loose Piece - Box, 10 mm [.394 in] Height, CGS TJT



## **Documents**

**Product Drawings** 

TJT 300W 6R8 5%

English

Datasheets & Catalog Pages

TJT-0715

English

ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series

English