



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Primary Product Color: **Black**

Primary Product Material: **PBT GF**

Automotive Connector Accessory Type: **Mounting Clip**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip
-------------------------------------	---------------

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Bulk
Packaging Quantity	320

Other

Serviceable	Yes
-------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Also in the Series | AMPSEAL 16




Automotive Connector Caps & Covers
(5)




Automotive Connector Locks & Position Assurance(6)



Automotive Terminals(35)




Data Connectivity Headers(2)




Data Connectivity Housings(3)




Customers Also Bought




TE Part #1376113-8
025 40POS CAP ASSY V TIN




TE Part #DT04-2P-E008
REC, 2P, GRY, N, XCAP




TE Part #ES43482001
EVDW-40/13-3-STK




TE Part #1060-12-0166
PIN, SF, SIZE 12, 12-14, NI/SN




TE Part #1062-12-0166
SOC, SF, SIZE 12, 12-14, NI/SN



TE Part #CAT-AM7801-T273
AMPSEAL 16 CONTACTS



TE Part #2203859-1
16POS, HYBRID, SOC HSG ASSY, SLD, COD A



TE Part #2272889-1
16POS, AMPSEAL 16, PIN HSG ASSY, SLD, COD A

Documents

- CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2203876-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2203876-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2203876-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

- Product Specifications

Application Specification

English