



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover**

Primary Product Material: **PA 66**

Strain Relief: **With**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover
---	-------

Body Features

Primary Product Color	Black
Primary Product Material	PA 66

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2025 (247)
Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | AMPSEAL 16



Automotive Connector Caps & Covers (5)



Automotive Connector Locks & Position Assurance(6)




Automotive Housings(239)




Connector Backshells(84)




Connector Seals & Cavity Plugs(10)




Data Connectivity Headers(2)



Data Connectivity Housings(3)



Other Automotive Connector Accessories(8)



Rectangular Backshells & Clamps(74)

Customers Also Bought

TE Part #1-776266-1
14POS,PIN DIA 1.3,HDR ASSY,90DEG,
COD 1

TE Part #HDP26-24-35SE
PLG, 35P, BLK, E, 16/20, S

TE Part #2357302-2
BACKSHELL,CONN KIT

TE Part #7-2176414-0
7W STD M/OX 5% 15K

TE Part #2203876-1
MOUNTING CLIP, ML CONN, 5MM
PANEL

TE Part #2203876-2
MOUNTING CLIP, ML CONN, 4MM
PANEL

TE Part #2272889-1
16POS,AMPSEAL 16,PIN HSG ASSY,
SLD,COD A

TE Part #2203859-1
16POS,HYBRID,SOC HSG ASSY,SLD,
COD A

TE Part #2272889-4
24POS,AMPSEAL 16,PIN HSG ASSY,
SLD,COD D

TE Part #2203859-4
24POS,HYBRID,SOC HSG ASSY,SLD,
COD D

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2203956-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2203956-1_B.3d_igs.zip



English

Customer View Model

[ENG_CVM_CVM_2203956-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMPSEAL Connector Catalog](#)

English

Product Specifications

[Application Specification](#)

English