




Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Receptacles



Lighting Product Type: **Gasket**

Features

Product Type Features

Lighting Product Type	Gasket
-----------------------	--------

Body Features

Primary Product Color	Black
-----------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-Z23-DRE
LUMAWISE Endurance N Poke-In:
Streetlight Dimming Receptacles

TE Part # CAT-ST833-L97
Receptacle Assembly

Also in the Series | LUMAWISE Endurance N

Street Lighting Accessories(18)

Street Lighting Base Assemblies(31)

Street Lighting Open & Shorting Caps
(3)

Street Lighting Power Management(6)

Street Lighting Receptacles(25)

Customers Also Bought





TE Part #2213899-4
RCPT ASSY, DIMMABLE
PHOTOCONTROL, 105C, 3/4



TE Part #6-2213362-1
RCPT ASSY, PHOTOCONTROL, 105C, 3
P



TE Part #2307813-4
4P, 2MM, BB, REC, SRVT, SMD, 0.1AU, TR,
W/CP



TE Part #1622456-1
LR1 1% 39K



TE Part #2058128-2
Dust Cap, 4 Posn, Natural



TE Part #2058943-3
Cable Assembly Mini CT 4 pos.



TE Part #3-2176328-3
CRGP 1206 4K7 1%



TE Part #34067
PG BUTT SPLC 22-16COMM22-18MIL



TE Part #8-1609095-9
2FB3=F8361



TE Part #5-826936-0
AMP AMPMODU II PIN HDR.

Documents

Product Drawings

GASKET, PHOTOCELL RECEPTACLE

English

Datasheets & Catalog Pages

LUMAWISE STREET LIGHT DIMMING AND CONTROL QUICK REFERENCE GUIDE

English

LUMAWISE DIMMING RECEPTACLE universal MATE-N-LOK Connectors

LUMAWISE DIMMING RECEPTACLE universal MATE-N-LOK Connectors

English

LUMAWISE DIMMING RECEPTACLE IEC 61984 - Double Insulation

LUMAWISE DIMMING RECEPTACLE IEC 61984 - Double Insulation

English

LUMAWISE Endurance N ANSI C136.41 Standard Dimming Receptacle Assembly

English

LUMAWISE Endurance N ANSI C136.41 Standard Dimming Receptacle Assembly

German



LUMAWISE Endurance N ANSI C136.41 Standard Dimming Receptacle Assembly

LUMAWISE Endurance N ANSI C136.41 Standard Dimming Receptacle Assembly

LUMAWISE Endurance N ANSI C136.41 Standard Dimming Receptacle Assembly

Product Specifications

Application Specification

English