2213678-5 - ACTIVE

LUMAWISE | LUMAWISE LED Holders

TE Internal #: 2213678-5 Not Optic Compatible / Zhaga Inspired, 60 VDC, Poke-In, Wire-to-Component, 2 Position, Wire & Cable, LUMAWISE LED Holders, LED Holders

View on TE.com >

Connectors > Lighting Connectors > LED Holders



Lighting Connector Features Included: Not Optic Compatible, Zhaga Inspired

Operating Voltage: 60 VDC

Termination Method to Wire & Cable: Poke-In

Connector System: Wire-to-Component

Number of Positions: 2

Features

connectivity

Product Type Features

COB Substrate Thickness	1 mm
LED Holders Product Type	LED Holder
Connector System	Wire-to-Component
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Lighting Connector Features Included	Not Optic Compatible, Zhaga Inspired
Number of Positions	2
Electrical Characteristics	
Current Rating (Max)	3 A
Operating Voltage	60 VDC
Contact Features	
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	3 A

C For support call+1 800 522 6752

2213678-5

Not Optic Compatible / Zhaga Inspired, 60 VDC, Poke-In, Wire-to-Component, 2 Position, Wire & Cable, LUMAWISE LED Holders, LED Holders



Termination Features	
Termination Method to Wire & Cable	Poke-In
Housing Features	
Housing Material	PBT GF
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)

Halogen Content

Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


2213678-5

Not Optic Compatible / Zhaga Inspired, 60 VDC, Poke-In, Wire-to-Component, 2 Position, Wire & Cable, LUMAWISE LED Holders, LED Holders






Also in the Series | LUMAWISE LED Holders



Customers Also Bought





2213678-5

Not Optic Compatible / Zhaga Inspired, 60 VDC, Poke-In, Wire-to-Component, 2 Position, Wire & Cable, LUMAWISE LED Holders, LED Holders



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_2213678-5_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2213678-5_C.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2213678-5_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages LUMAWISE LED Holder Type Z35

English

LUMAWISE LED Holder Type Z35

Product Specifications Application Specification

English

Application Specification

English

Agency Approvals KEMA Certificate label

English