TE Internal #: 2227302-1

SFP, Cage, Operating Temperature Range -55 – 85 °C [-67 – 185 °

F], Data Rate (Max) 4 Gb/s, 1 Ports, Port Matrix Configuration 1 x 1

View on TE.com >





Connectors > Pluggable IO Connectors & Cages











Form Factor: **SFP**

Pluggable I/O Product Type: Cage

Sealable: No

Operating Temperature Range: -55 - 85 °C [-67 - 185 °F]

Data Rate (Max): 4 Gb/s

Features

Product Type Features

Cage Type	Single
Form Factor	SFP
Pluggable I/O Product Type	Cage
Sealable	No

Configuration Features

Number of Ports	1
Port Matrix Configuration	1 x 1

Electrical Characteristics

Data Rate (Max)	4 Gb/s
Data Nate (Max)	1 00/3

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	3 mm[.118 in]

Housing Features

Cage Material	Stainless Steel

Dimensions



PCB Thickness (Recommended)	1.5 mm[.059 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Pluggable I/O Applications	SFP
Heat Sink Compatible	No
Packaging Features	
Packaging Method	Box
Other	
Included Lightpipe	No
EMI Containment Feature Type	Internal/External EMI Springs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # 2215077-3 ASSY, SEATING TOOL, SFP



TE Part # 1761394-1
DUST COVER, SFP, GANGED &
STACKED




TE Part # 1367147-3 SFP COVER, UNPL, NO LOGO



TE Part # CAT-SF59-C76264 SFP Connectors



TE Part # 1367147-1 SFP COVER, UNPLATED



TE Part # 1888901-1 SFP+ EMI Plug

Customers Also Bought



TE Part #3-1761465-2 pci expres ra assy 5.8mm thru hole 3.1 mm



TE Part #5-2176429-9 MPT100 220R 1%



UNIV. POWER MODULE R/A HEADER





TE Part #1-770170-0 03P MINI-UMNL ASSY VO SNNI*




TE Part #1934346-1
Tin Man Header Assy 3x16 Double



TE Part #1934332-1
Tin man Header Assy5x16 Double





TE Part #4-1676481-7 CPF 0603 470R 0.1% 25PPM 1K RL





Documents

Product Drawings

CAGE ASSY, PRESS FIT, SFP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2227302-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2227302-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2227302-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English