

Mini-SAS HD


TE Internal #: 2227595-1

Internal Mini-SAS HD, Receptacle, Cable-to-Board, 36 Position, 4 Row, 1 Port, Vertical, Through Hole - Press-Fit, Mini-SAS HD

[View on TE.com >](#)



Connectors > PCB Connectors > SAS & MiniSAS > Internal Mini-SAS HD Receptacles



SAS Connector Type: Internal Mini-SAS HD

Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 36

Number of Rows: 4

[All Internal Mini-SAS HD Receptacles \(6\)](#)

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Shell	Without
SAS Connector Type	Internal Mini-SAS HD
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board

Configuration Features

Number of Positions	36
Number of Rows	4
Number of Ports	1
PCB Mount Orientation	Vertical

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy



PCB Contact Termination Area Plating Material	Tin
---	-----

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
---------------------------	--------------------------

Mechanical Attachment

PCB Mount Retention Type	M2 Screw
PCB Mount Retention	With

Housing Features

Housing Material	LCP
Centerline (Pitch)	.75 mm[.029 in]

Dimensions

Profile Height from PCB	14.2 mm[.559 in]
-------------------------	------------------

Usage Conditions

High Temperature Housing	Yes
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

Also in the Series | Mini-SAS HD

Customers Also Bought



TE Part #2213774-7
AV16 SPM 0.4VA FIX RING LED
GREEN 12V

TE Part #2000676-1
Keyed Guide Pin, Machined, Vita 46

TE Part #2295018-2
SPLASH PROOF USB TYPE C REC,
DUAL SMT

TE Part #CAT-IN819-C76264
Internal Mini-SAS HD Receptacles

TE Part #5-1879214-5
CPF 0402 1K27 0.1% 25PPM 1K RL

Documents

Product Drawings

1X1 VERT ASSY, MINI SAS HD INTERNAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2227595-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2227595-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2227595-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English