



Application Tooling > Heat Shrink Equipment



Equipment Processing Type: **Discrete**
Applicable Region: **Americas, Asia Pacific**
Heat Shrink Equipment Application: **In-Line Splice, Ring Terminal, Stub Splice**
Tooling Type: **Machines & Equipment**
Operating Voltage: **220 V**

Features

Electrical Characteristics

Operating Voltage	220 V
-------------------	-------

Dimensions

Tubing Outer Diameter (Max)	≤ 19 mm
Tubing Length (Max)	≤ 65 mm

Product Availability

Applicable Region	Americas, Asia Pacific
-------------------	------------------------

Other

Equipment Processing Type	Discrete
Heat Shrink Equipment Application	In-Line Splice, Ring Terminal, Stub Splice
Tooling Type	Machines & Equipment
Substrate Length Max	65 mm
Substrate Outside Diameter Max	20 mm

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2369598-1
USB Flash Memory



TE Part # 9-2375314-9
BARCODE SCANNER, WIRELESS



TE Part # CS4132-000
RNF-100-1/16-BK-30MM



TE Part # CS4236-000
VERSAFIT-3/64-0-22MM



TE Part # 063725P079
ES2000-NO.2-B9-0-45MM



TE Part # 2234786-4
RBK FIXTURE, CAP W/ FLATTEN
BRKT, A/C




TE Part # CV7318-000
VERSAFIT-1/4-4-1IN



TE Part # 451673-000
ES1000-NO.2-B9-X-60MM



TE Part # CM2700-000
VERSAFIT-3/8-0-1.25IN



TE Part # CAT-HST-SCL
SCL Heat Shrink Tubing



TE Part # CAT-HST-BSTS
BSTS/BSTS-FR Heat Shrink Tubing



TE Part # CAT-HST-QS1500
QS1500 Heat Shrink Tubing



TE Part # 5070076143
RNF-100-3/8-CL-2.5IN



TE Part # CZ7809-000
ES2000-NO.0-O9-0-50MM



TE Part # 505874K049
VERSAFIT-1/4-0-1.5IN



TE Part # 5677576049
RNF-3000-6/2-0-40MM



TE Part # CR6142-000
ES2000-NO.1-C1-0-70MM



TE Part # CAT-HST-VERSAFITV2
Versafit-V2 Heat Shrink Tubing

TE Part # 9-2375314-6
EXTENSION CABLE



TE Part # 829131P079
ES2000-NO.1-C1-0-15MM

Customers Also Bought



TE Part #5-2151177-2
OCEAN-2.0-APPLICATOR-S-110F260O-RSA



TE Part #5-2151965-2
OCEAN_2.0_Applicator-S-066F134O-RSA



TE Part #5-2151803-2
OCEAN_2.0_APPLICATOR-S-066F090OV-RSA



TE Part #2234986-1
TRANSFORMER 110V INPUT/220V OUPUT



TE Part #5-2151139-2
OCEAN-2.0-APPLICATOR-S-080F160OV-RSA



TE Part #2213782-2
UNIVERSAL MATE-N-LOK 2-PSN WIRE SEAL




TE Part #2266555-2
OCEAN_2.0_Applicator-S-090F165O-RSA



TE Part #5-2151345-2
OCEAN_2.0_APPLICATOR-S-100F170O-RSA



TE Part #7-2837245-7
OCEAN_2.0_SPARE_PART_KIT-070F157O



TE Part #2079707-1
CABLE ASSY, ADAPTER, USB to RS

Documents

Product Drawings

RBK-X1 STD

English

Product Specifications

Manuals & User Guides

Instruction Sheets

RBK-X1C CE Heat Shrink Machine

HEAT SHRINK MACHINE, BARCODE SCANNING INSTRUCTION

English

RBK-X1/X1C Heat Shrink Machine

English

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

French

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

German

409-35022-CZE

409-35022-POR

409-35022-ITA

409-35022-JPN

Japanese

RBK-X1/X1C Heat Shrink Machine-CHI

RBK-X1/X1C Heat Shrink Machine-DUT

RBK-X1/X1C Heat Shrink Machine-RON

409-35022-LIT

409-35022-SLO

RBK-X1C CE Heat Shrink Machine