

AMPLIMITE

TE Internal #: 2301826-1

9 Position D-Shaped Connector, Plug, Wire-to-Board, Board Mount, 1 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit

Board, Signal

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Plug Assembly: Standard, Vertical, Shell Size 1, 2.74mm











Number of Positions: 9

Connector & Housing Type: Plug
Connector System: Wire-to-Board

Connector Mounting Type: Board Mount

Connector Shell Size: 1

All D-Sub Plug Assembly: Standard, Vertical, Shell Size 1, 2.74mm (28)

Features

Product Type Features

Connector & Housing Type	Plug
Connector System	Wire-to-Board
Connector Shell Size	1
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
PCB Mount Orientation	Vertical
Number of Rows	2
Number of Positions	9
Body Features	

Black

High

Contact Features

Connector Profile

Primary Product Color



Contact Shape & Form	Round	
Contact Current Rating (Max)	1.5 A	
Contact Options	Installed	
Termination Features		
Termination Method to PCB	Through Hole - Solder	
Termination Post & Tail Diameter	.6 mm[.023 in]	
Mechanical Attachment		
Mating Retention	With	
PCB Mount Retention Type	Boardlock	
Mating Retention Type	Threaded Inserts, 4-40 UNC	
PCB Mount Retention	With	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	PBT GF	
Centerline (Pitch)	2.77 mm[.109 in]	
Dimensions		
Row-to-Row Spacing	2.84 mm[.111 in]	
Usage Conditions		
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Operation/Application		
Circuit Application	Signal	
Packaging Features		
Packaging Method	Box & Tray	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)



$D_{\alpha\alpha\alpha}$	n 0+	aantain	REACH	CV/LIC
Does	not	contain	KEACH	SVHU

Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought























Documents

Product Drawings

AMPL PLUG HD20, VERT, 9P, B/L,4-40 INS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2301826-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2301826-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2301826-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\pmb{\mathsf{Terms}}$ and $\pmb{\mathsf{Conditions}}$ of use.

Product Specifications

Product Specification

English