



Connectors > D-Shaped Connectors



Number of Positions: 9

Connector & Housing Type: **Receptacle**

Connector System: **Cable-to-Board**

Connector Mounting Type: **Board Mount**

Connector Shell Size: 1

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector Shell Size	1
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Rows	2
Number of Positions	9

Contact Features

Contact Shape & Form	Straight
Contact Current Rating (Max)	1.5 A
Contact Options	Installed

Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------



Termination Post & Tail Diameter	.6 mm[.023 in]
----------------------------------	----------------

Mechanical Attachment

Mating Retention	With
PCB Mount Retention Type	Boardlock
Mating Retention Type	4-40 Screwlock
PCB Mount Retention	With
Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	2.77 mm[.109 in]
--------------------	------------------

Dimensions

Row-to-Row Spacing	2.84 mm[.112 in]
--------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2301826-2  
AMPL PLUG HD20, VERT, 9P, B/L,4-40 S/LOC

Customers Also Bought

TE Part #1879207-6  
RN 0603 226K 0.1% 10PPM 5K RL

TE Part #CV25852001  
RW-175-E-3/8-X-STK

TE Part #1-2176747-2  
BMC-Q 0603 80R 25% Tol. UH Current

TE Part #4-2176617-5  
SMQW3W 6R8 5%

TE Part #2-1879450-0  
TE 500W 39R 5% Bracket

TE Part #CAT-HST-RNF100-3  
RNF-100-3 Heat Shrink Tubing

TE Part #2301835-2  
AMPL PLUG HD20, VERT, 25P, B/L,4-40 S/LO

TE Part #7-1622825-3  
RL73K 2B R47 5% 5K RL

TE Part #7-2176388-5  
RQ 1206 59R 0.1% 10PPM 5K RL

Documents

Product Drawings  
AMPL REC HD20, VERT, 9P, B/L,4-40 S/LOCK  
English



CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2301838-2\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2301838-2\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2301838-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English