



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Dust Cover**

Primary Product Color: **Black**

Primary Product Material: **PC + ABS**

Operating Temperature (Max): **100 °C [212 °F]**

Features

Product Type Features

Connector Cover Type	Dust Cover
----------------------	------------

Body Features

Primary Product Color	Black
Primary Product Material	PC + ABS

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
-----------------------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC




Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 2821722-2
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV




TE Part # 2821722-3
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV



TE Part # 2821722-4
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV



TE Part # 2-2822549-5
LGA3647-0 SOCKET-P0 KIT (30U AU PLATING)



TE Part # CAT-L59017-A76
LGA 3647 Sockets


Customers Also Bought




TE Part #7-2340321-3
ASSY STRADDLE MOUNT 168P 093 SLIVER 2.0



TE Part #1-2332139-3
RECEPT ASSY, 140 POS, VERT, SLIVER 2.0




TE Part #2309848-1
PCI-E Card Edge, 64 Pos, 15u",



TE Part #2-1775485-4
BATTERY HOLDER, 3.2MM, BLK,low profile



 <p>TE Part #2-2340321-1 ASSY STRADDLE MOUNT 168P 093 SLIVER 2.0</p>	<p>TE Part #6-2364427-9 PCIE G5 CON,SMT,164P,30u",NO MYLAR,S-HT</p>	<p>TE Part #2232980-2 02P MTA100 HDR ASSY SM W SN</p>	<p>TE Part #2394366-2 CABLE ASSY, PADDLE CARD TO SLIVER YV3.5</p>
<p>TE Part #3-2199154-8 DDR4 DIMM 288 Pin TH type</p>	<p>TE Part #3-2199154-9 DDR4 DIMM 288 Pin TH type</p>		

Documents

Product Drawings

SOCKET P HARDWARE DUST COVER

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2305234-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2305234-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2305234-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

LGA 3647 Socket Product Flyer

English

Product Specifications

Application Specification

English