
TE Internal #: 2314577-1

7 Position Backplane Power Connector, PCB Mount Header, Boardto-Board, Right Angle, Traditional Backplane, Printed Circuit Board





Connectors > Power Connectors > Backplane Power Connectors



Number of Positions: 7

PCB Connector Type: PCB Mount Header

Connector System: **Board-to-Board**PCB Mount Orientation: **Right Angle**

Backplane Architecture: Traditional Backplane

Contact Mating Area Plating Material Thickness

PCB Contact Termination Area Plating Material Thickness

Features

Product Type Features

Product Type Features	
Connector & Housing Type	Receptacle
PCB Connector Type	PCB Mount Header
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Columns	7
Number of Signal Positions	0
Number of Power Positions	7
Number of Positions	7
PCB Mount Orientation	Right Angle
Backplane Architecture	Traditional Backplane
Stackable	No
Electrical Characteristics	
Operating Voltage	300 VDC
Contact Features	
Contact Underplating Material	Nickel

1.27 μm[50 μin]

.127 μm[5 μin]



Contact Mating Area Plating Material	Gold over Nickel
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Gold
Contact Type	Socket
Contact Current Rating (Max)	75 A
Termination Features	
Termination Method to PCB	Through Hole - Press-Fit
Mechanical Attachment	
Mating Alignment Type	Guide Hardware
Housing Features	
Housing Color	Black
Housing Material	Thermoplastic
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	

Product Compliance

UL Flammability Rating

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

UL 94V-0

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought























Documents

Product Drawings

R/A HEADER, MULTI-BEAM XLE, VITA 62

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2314577-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2314577-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2314577-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SOSA Aligned Interconnect Solutions

English