




TE Internal #: 2315853-4
OSFP, Cage Assembly, Signal, Operating Temperature Range -55 – 85 °C [-67 – 185 °F], 240 Position, 4 Ports, Port Matrix Configuration 1 x 4
[View on TE.com >](#)

Connectors > Pluggable IO Connectors & Cages



Form Factor: **OSFP**
Pluggable I/O Product Type: **Cage Assembly**
Sealable: **No**
Circuit Application: **Signal**
Operating Temperature Range: **-55 – 85 °C [-67 – 185 °F]**

Features

Product Type Features

Cage Type	Ganged
Form Factor	OSFP
Pluggable I/O Product Type	Cage Assembly
Sealable	No

Configuration Features

Number of Positions	240
Number of Ports	4
Port Matrix Configuration	1 x 4

Mechanical Attachment

PCB Mounting Style	Through Hole - Press-Fit
--------------------	--------------------------

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------



Packaging Features

Packaging Method	Tray
------------------	------

Other

Included Lightpipe	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2185245-4
ASSY, EXTRACTN TL, OSFP 1 X 4



TE Part # CAT-P65-N49
OSFP Connector Assembly: Surface Mount



Customers Also Bought



TE Part #2361492-1
PCB Antenna,cable,MHF,698-2700MHz



TE Part #2176308-8
RP 1E 0.1W 158K 0.1% 25PPM 5K RL



TE Part #2-2176308-7
RP 1E 0.1W 249K 0.1% 25PPM 5K RL



TE Part #5103308-5
A/L LOW PRO HDR 20P VERT BLACK

Documents

Product Drawings

CAGE ASSEMBLY, 1X4, NO EMI SPRINGS, OSFP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2315853-4_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2315853-4_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2315853-4_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

OSFP Cages, Connectors, and Cable Assemblies (English)

English

Product Specifications

Application Specification

English