



Connectors > Automotive Connectors > Power Distribution Boxes > Module Components



Component Type: **Fuse Holder**  
Fuse Type: **High Current Fuse**  
Number of Positions: **2**  
Primary Locking Feature: **Integrated in Housing**  
Secondary Locking: **Yes**

Features

Product Type Features

Component Type	Fuse Holder
Fuse Type	High Current Fuse
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Secondary Locking	Yes
-------------------	-----

Usage Conditions

Operating Temperature Range	-40 – 65 °C[-40 – 149 °F]
-----------------------------	---------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
IP Rating	IP2XB

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2307360-1  
LEVER V0\_PLUG\_MSD

TE Part # 2315855-4  
MSD,REC HSG ASSY,450A,V0,M8

TE Part # 2307429-4  
MSD,PLUG INNER HSG,450A,V0

Customers Also Bought



TE Part #2-2071576-1  
[ECK250BAAAEA](#)




TE Part #2399663-1  
[Pre-ASSY,Finger Access,Code A](#)




TE Part #2315855-4  
[MSD,REC HSG ASSY,450A,V0,M8](#)




TE Part #368482-1  
[ABS CONN PLUG 25P ASSY\(MANDO\)](#)



TE Part #2329392-1  
[JAC DCT2 S7 THROUGHWALL WIRING](#)



TE Part #281938-3  
[MIC MARKII RCPT CONTACT](#)




TE Part #2303096-4  
[RELAY EVC500 W/JUMPER](#)



TE Part #2355198-1  
[HVP800 2P HEADER ASSY](#)



TE Part #2329589-1  
[JAC S4 ELECTRON MAGNETIC VALVE CABLE](#)



TE Part #368084-1  
[090II NON SLD REC\(SQ0.85-1.25\)](#)

Documents

Product Drawings

[MSD,PLUG HSG ASSY,450A,V0](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2315856-4\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2315856-4\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2315856-4\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



Manual Service Disconnect (MSD) Brochure

English