

#### **HIVONEX**

TE Internal #: 2315856-6

Fuse Holder, High Current Fuse, 2 Position, Secondary Locking, UL

94V-0, IP2XB, -40 – 65 °C [-40 – 149 °F], Module Components

View on TE.com >




Connectors > Automotive Connectors > Power Distribution Boxes > Module Components











Component Type: Fuse Holder

Fuse Type: **High Current Fuse** 

Number of Positions: 2

Primary Locking Feature: Integrated in Housing

Secondary Locking: Yes

### **Features**

### Product Type Features

Component Type	Fuse Holder
Fuse Type	High Current Fuse
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	2
Body Features	
Secondary Locking	Yes
Usage Conditions	
Operating Temperature Range	-40 - 65 °C[-40 - 149 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
IP Rating	IP2XB

## **Product Compliance**



#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts







# **Customers Also Bought**





TE Part #1-2303064-1 12POS, STAMPED 20, PIN HSG ASSY, SLD,COD 1



TE Part #1-2381216-3 48POS,MCON 1.2,TAB HSG ASSY,SLD, COD J



TE Part #1-1564526-1 18POS,TAB 1.6X0.6,TAB HSG,ASSY

TE Part #2303096-4

RELAY EVC500 W/JUMPER



48POS,MCON 1.2,REC HSG ASSY,SLD, COD J



TE Part #2386230-1 LEVER,48POS,MCON 1.2



MSD,REC HSG ASSY,630A,V0,M8



PROTEC. COVER 8MM HV,2POS PINHEADER





**Documents** 

**Product Drawings** 

MSD,PLUG HSG ASSY,630A,V0

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2315856-6\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2315856-6\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2315856-6\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Fuse Holder, High Current Fuse, 2 Position, Secondary Locking, UL 94V-0, IP2XB, -40 – 65 °C [-40 – 149 °F], Module Components



Manual Service Disconnect (MSD) Brochure

English