

Sliver for SFF-TA-1002

TE Internal #: 2332141-3 Sliver for SFF-TA-1002, Cable Plug Assembly, Vertical, Cable-to-Board, 56 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I /O Connectors

View on TE.com >

Connectors > PCB Connectors > Internal I/O Connectors



Internal I/O Connector Type: Sliver for SFF-TA-1002 Connector Mates With: Cable Plug Assembly PCB Mount Orientation: Vertical

Connector System: Cable-to-Board

Number of Positions: 56

Features



Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Internal I/O Connector Type	Sliver for SFF-TA-1002
Connector Mates With	Cable Plug Assembly
Connector System	Cable-to-Board
Configuration Features	
Number of Rows	2
PCB Mount Orientation	Vertical
Number of Positions	56
Contact Features	
PCB Contact Termination Area Plating Material	Tin
Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	1.1 A

C For support call+1 800 522 6752

2332141-3

Sliver for SFF-TA-1002, Cable Plug Assembly, Vertical, Cable-to-Board, 56 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors



Contact Mating Area Plating Material Thickness	.762 μm[30 μin]
Termination Features	
Termination Method to PCB	Surface Mount
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.023 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Industry Standard	Gen-Z

Product Compliance

For compliance documentation, visit the product page on TE.com>

		2011/65/ELL
	Luroctivo	

Compliant

EU KONS DIrective ZUTI/05/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides


2332141-3

Sliver for SFF-TA-1002, Cable Plug Assembly, Vertical, Cable-to-Board, 56 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Sliver for SFF-TA-1002




Customers Also Bought



2332141-3

Sliver for SFF-TA-1002, Cable Plug Assembly, Vertical, Cable-to-Board, 56 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2332141-3_5.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2332141-3_5.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2332141-3_5.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English