


#### zQSFP+/QSFP28

TE Internal #: 2333842-8 QSFP28 Cable Assembly, 16 Positions, 4 m [13.12 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm<sup>2</sup> Wire, QSFP28 Plug End A, QSFP28 Plug End B, CL2

#### View on TE.com >

connectivity

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > QSFP28 to QSFP28 Cable Assembly: 26 AWG



Cable Assembly Type: **QSFP28** 

Number of Positions: 16

Cable Assembly Length: 4 m [ 13.12 ft ]

Data Rate: 25 Gb/s

Cable Color: Black

#### All QSFP28 to QSFP28 Cable Assembly: 26 AWG (10)

# Features

## **Product Type Features**

Cable Assembly Category	High Speed, Industry Standard	
Cable Assembly Type	QSFP28	
Cable Style	Madison TurboTwin - Round Jacketed	
Cable Assembly (End A)	QSFP28 Plug	
Cable Assembly (End B)	QSFP28 Plug	
Configuration Features		
Number of Positions	16	
Number of Pairs	8	
Number of Signal Positions	16	
Electrical Characteristics		
Impedance	100 Ω	
Signal Characteristics		

**C** For support call+1 800 522 6752

QSFP28 Cable Assembly, 16 Positions, 4 m [13.12 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm<sup>2</sup> Wire, QSFP28 Plug End A, QSFP28 Plug End B, CL2



Data Rate	25 Gb/s
Body Features	
Cable Color	Black
Equalized	No
Cable Flammability Rating	CL2
Dimensions	
Wire Size	.129 mm <sup>2</sup>
Outside Cable Diameter	9.53 mm[.375 in]
Operation/Application	
Shielded	Yes
Halogen Free	No
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	4 m[13.12 ft]

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in

QSFP28 Cable Assembly, 16 Positions, 4 m [13.12 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm<sup>2</sup> Wire, QSFP28 Plug End A, QSFP28 Plug End B, CL2



articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



the second secon	the second se	HILLER BURNERS	
TE Part # 2170814-6 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP	TE Part # 4-2170814-6 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP	TE Part # 5-2170703-4 CAGE ASSEMBLY, QSFP28 1X1, SPRING	TE Part # 2170773-7 CAGE ASSY, QSFP28 1X1, SINGLE LP
and the second s			

TE Part # 2170706-4

SPRING

CAGE ASSEMBLY, 1X6, QSFP28,

TE Part # 2170708-6

HS, LP

CAGE ASSY, 1X6, QSFP28, SPRING,

TE Part # 2170706-5

SPRING

CAGE ASSEMBLY, 1X6, QSFP28,

**&** For support call+1 800 522 6752

TE Part # 2173482-7

Long


1xN QSFP28 Bhnd Bzl Dbl LP, 57,69

QSFP28 Cable Assembly, 16 Positions, 4 m [13.12 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm<sup>2</sup> Wire, QSFP28 Plug End A, QSFP28 Plug End B, CL2





# Also in the Series | zQSFP+/QSFP28



# Customers Also Bought



TE Part #33462	TE Part #1622308-1	TE Part #1241000-1
TERMINAL, SOLIS R 8 5/16	LR1 1% 120R	ADERENDHUEL,WS0,5M

# Documents

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2333842-8\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2333842-8\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2333842-8\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

QSFP28 Cable Assembly, 16 Positions, 4 m [13.12 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm² Wire, QSFP28 Plug End A, QSFP28 Plug End B, CL2



**Product Specification** 

English