

USLPT3737AL5TR

✓ ACTIVE

Alcoswitch | Alcoswitch LPT


TE Internal #: 2337229-2

50 mA Tactile Switch, Flush, Top Actuator, NO, Stainless Steel,
Silver Contact Plating, Low Profile, 12 VDC, Alcoswitch LPT

[View on TE.com >](#)



Switches > Tactile Switches



Contact Current Rating: 50 mA
Actuator Style: Flush, Top Actuator
Operating Function: NO
Contact Base Material: Stainless Steel
Switch Contact Plating Material: Silver

Features

Product Type Features

Leg Style	J Style
Switch Connection Type	Printed Circuit Board
Illuminated	Without
Actuator Style	Flush, Top Actuator

Configuration Features

Switch Feedback Type	Tactile
ESD Grounding Terminal	Without
Ganged	Without
Operating Function	NO
Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Actuators	Single

Electrical Characteristics

Operating Voltage	12 VDC
-------------------	--------

Body Features

--	--



Case Material	Thermoplastic
Actuator Profile	Flush
Case Color	Black
Actuator Material	Polyimide
Actuator Force	235 g[8.28 oz]
Product Orientation	Vertical

Contact Features

Contact Current Rating	50 mA
Contact Base Material	Stainless Steel
Switch Contact Plating Material	Silver

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Housing Features

Low Profile	Yes
Process Sealed	No

Dimensions

Product Height	.3 mm[.014 in]
----------------	----------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C
-----------------------------	-------------

Packaging Features

Packaging Method	Tape & Reel
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free


Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2337225-1
TACT ULTRA TB 2.8X1.9X0.6 160GF



TE Part # 2337234-1
TACT MICRO JB 4.6X4.4X0.55 P3.5 100GF



TE Part # 2337234-2
TACT MICRO JB 4.6X4.4X0.55 P3.5 160GF



TE Part # 2337224-1
TACT ULTRA TB 2.6X1.6X0.55 160GF



TE Part # 2337234-3
TACT MICRO JB 4.6X4.4X0.55 P3.5 200GF


Also in the Series | [Alcoswitch LPT](#)



Tactile Switches(52)

Customers Also Bought






TE Part #2337243-4
TACT MINI JB 5.2X5.2X1.5 260GF



TE Part #2337232-4
TACT MICRO JB 4.8X4.8X0.55 P2.8 260GF



TE Part #2337234-4
TACT MICRO JB 4.6X4.4X0.55 P3.5 260GF




TE Part #292161-2
CT P/HDR ASSY V 2P W/KINK NAT 260GF



TE Part #3-1676481-7
CPF 0603 180R 0.1% 25PPM 1K RL



TE Part #2337234-1
TACT MICRO JB 4.6X4.4X0.55 P3.5 100GF



TE Part #2309412-4
DDR4 SODIMM 260P 8.0H RVS



TE Part #1415898-1
RTS3T024



TE Part #2337234-2
TACT MICRO JB 4.6X4.4X0.55 P3.5 160GF



TE Part #2176612-8
EP 3W (SS) 2R0 5%

Documents

Product Drawings

TACT ULTRA JB 3.7X3.7X0.35 235GF

English

CAD Files

Customer View Model

ENG_CVM_CVM_2337229-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2337229-2_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2337229-2_B.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



USLPT3737 Family-Low-profile Tactile Switches

English