

TE Internal #: 2338495-1 OSFP, Cage Assembly, Operating Temperature Range -55 – 85 °C [-67 – 185 °F], 240 Position, 4 Ports, Port Matrix Configuration 1 x 4 View on TE.com >



Connectors > Pluggable IO Connectors & Cages > OSFP Cage Assembly: EMI Springs



Form Factor: **OSFP** 

Pluggable I/O Product Type: Cage Assembly

Sealable: No

Operating Temperature Range: -55 – 85 °C [-67 – 185 °F]

Number of Positions: 240

All OSFP Cage Assembly: EMI Springs (11)

#### Features

### Product Type Features

Cage Туре	Ganged
Form Factor	OSFP
Pluggable I/O Product Type	Cage Assembly
Sealable	No
Configuration Features	
Number of Positions	240
Number of Ports	4
Port Matrix Configuration	1 × 4
Mechanical Attachment	
PCB Mounting Style	Through Hole - Press-Fit
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Other	

#### 2338495-1

OSFP, Cage Assembly, Operating Temperature Range -55 – 85 °C [-67 – 185 °F], 240 Position, 4 Ports, Port Matrix Configuration 1 x 4



Included Lightpipe	No
EMI Containment Feature Type	Internal/External EMI Springs
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



#### 2338495-1

OSFP, Cage Assembly, Operating Temperature Range -55 – 85 °C [-67 – 185 °F], 240 Position, 4 Ports, Port Matrix Configuration 1 x 4





# Customers Also Bought



## Documents

#### **CAD** Files

3D PDF

3D

#### Customer View Model

ENG\_CVM\_CVM\_2338495-1\_B.2d\_dxf.zip

English

Customer View Model ENG\_CVM\_CVM\_2338495-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2338495-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages OSFP Cages, Connectors, and Cable Assemblies (English) English

**Product Specifications** Application Specification

English