# AVP19MAIBC000T5A04 V ACTIVE



## Alcoswitch | Alcoswitch AVP19

TE Internal #: 2342841-2

Anti-Vandal Switch, Single Pole - Single Throw Configuration (Pole-

Throw), Single Actuator, Flush Actuator, Non-Tactile Feedback,


Alcoswitch AVP19

View on TE.com >



#### Switches > Push Button Switches











Push Button Switch Product Type: Anti-Vandal Switch Configuration (Pole-Throw): Single Pole - Single Throw

Number of Actuators: Single

Actuator Profile: Flush Bushing Style: Threaded

### **Features**

## **Product Type Features**

Switch Connection Type	Long Leads
Push Button Switch Product Type	Anti-Vandal Switch
Illuminated	Without
Actuator Style	Round Actuator
Configuration Features	

Configuration (Pole-Throw)  Single Pole - Single Throw	
Number of Actuators Single	
Switch Feedback Type Non-Tactile	
Operating Function 1 Pole, NO, Momentary	

## **Electrical Characteristics**

Contact Current Rating	1 A
Operating Voltage Range	5 – 24 VDC

## **Body Features**



Case Material	Aluminum
Sealing Method	Ероху
Actuator Material	Aluminum
Product Orientation	Vertical
Actuator Force	204 – 510 g[7.2 – 18 oz]
Actuator Profile	Flush
Bushing Style	Threaded
Bushing Thread Size	M19 x 1
Actuator Color	Black
Mechanical Attachment	
Attachment Method	Screw-On
Housing Features	
Low Profile	Yes
Dimensions	
Bushing Length	18.2 mm[.72 in]
Bushing Diameter	19 mm[.75 in]
Usage Conditions	
Operating Temperature Range	-20 – 65 °C
Industry Standards	
IP Rating	IP68
Packaging Features	

# **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4% in Component Part)

Loose Piece



Article	Safe	Usage	Statement
	Jaic	Osage	Julienieni

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

#### Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**











Also in the Series | Alcoswitch AVP19










Push Button Switches(12)

# Customers Also Bought















RECEPTACLES







## **Documents**

Product Drawings
AVP19M CONC. AIB NL 500MM/1X6

English

**CAD Files** 

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2342841-2\_A.2d\_dxf.zip Anti-Vandal Switch, Single Pole - Single Throw Configuration (Pole-Throw), Single Actuator, Flush Actuator, Non-Tactile Feedback, Alcoswitch AVP19



English

**Customer View Model** 

ENG\_CVM\_CVM\_2342841-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2342841-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

AVP Series Anti Vandal Illuminated and Non-Illuminated Piezo Switches

English