
2344655-5 - ACTIVE

TE Internal #: 2344655-5 PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain

View on TE.com >

Antennas



Antenna Type: **PCB** Band Type: **Triple Band** Primary Application: **Wi-Fi** Wireless Application: **Bluetooth, Wi-Fi, Zigbee**

Mounting Location: Internal/Embedded

Features

Product Type Features



I I O G G C I J	

Antenna Termination	MHF4
Antenna Product Type	Antenna
Configuration Features	
Antenna Style	PCB
Antenna Type	PCB
Band Type	Triple Band
Mounting Location	Internal/Embedded
Port Configuration	Single Port
Electrical Characteristics	
Impedance	50 Ω
Antenna Operation	Passive
VSWR (Max)	<2.7:1
Signal Characteristics	
Frequency Band	5000 – 7000 MHz, 2450 – 2650 MHz

PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain



II+1 800 522 6752	04/14/2025 01:
EU RoHS Directive 2011/65/EU	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	
Precision Level	Standard
Other	
Packaging Method	Bag & Box
Packaging Features	
Applicable Region	Global
Product Availability	
Wireless Application	Bluetooth, Wi-Fi, Zigbee
Primary Application	Wi-Fi
Industry Standards	
Directionality	Omnidirectional
Wireless Standard	802.11 a/b/g/n/ac/ad/ax, Bluetooth, ZigBee & Wi-Fi
Operation/Application	
Cable Insulation Diameter (Max)	.7 mm[.028 in]
Cable Length	.05 m[.16 ft]
Product Height	1 mm[.039 in]
Product Length	33 mm[1.299 in]
Product Width	8 mm[.315 in]
Product Diameter	1.13 mm[.044 in]
Dimensions	
Mounting Type	Adhesive Mount
Polarization	Linear
Mechanical Attachment	
Product Weight	1.2 g[.042 oz]
Body Features	
Peak Gain	3 < 6 dBi
Frequency Category	2400 – 7125

C For support call+1 800 522 6752

PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: 2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one (4% in M-17141-4)
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought



PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain







Documents

Product Drawings PCB ANT, MHF 4, 50mm, Wi-Fi TRIPLE BAND

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2344655-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2344655-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2344655-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Data sheet of 2344655-X

English

Wi-Fi_6_6E_Triple_Band_Datsheet

English

Product Specifications

Product Specification

English

PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain

