

TE Internal #: 2344655-8


PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi

Peak Gain

View on TE.com >



Antennas



Antenna Type: PCB
Band Type: Triple Band
Primary Application: Wi-Fi

Wireless Application: Bluetooth, Wi-Fi, Zigbee
Mounting Location: Internal/Embedded

Features

Product Type Features

| Antenna Termination | MHF4 |
|----------------------------|-------------------|
| Antenna Product Type | Antenna |
| Configuration Features | |
| Antenna Style | PCB |
| Antenna Type | PCB |
| Band Type | Triple Band |
| Mounting Location | Internal/Embedded |
| Port Configuration | Single Port |
| Electrical Characteristics | |
| Impedance | 50 Ω |
| Antenna Operation | Passive |
| VSWR (Max) | <2.7:1 |
| Signal Characteristics | |

5000 – 7000 MHz, 2450 – 2750 MHz

Frequency Band



| Gain (Max) | 5.9 dB |
|---------------------------------|---|
| Frequency Category | 2400 – 7125 |
| Peak Gain | 3 < 6 dBi |
| Body Features | |
| Product Weight | 1.2 g[.042 oz] |
| Mechanical Attachment | |
| Polarization | Linear |
| Mounting Type | Adhesive Mount |
| Dimensions | |
| Product Diameter | 1.13 mm[.044 in] |
| Product Width | 8 mm[.315 in] |
| Product Length | 33 mm[1.299 in] |
| Product Height | 1 mm[.039 in] |
| Cable Length | .2 m[.66 ft] |
| Cable Insulation Diameter (Max) | .7 mm[.028 in] |
| Operation/Application | |
| Wireless Standard | 802.11 a/b/g/n/ac/ad/ax, Bluetooth, ZigBee & Wi-Fi |
| Directionality | Omnidirectional |
| Industry Standards | |
| Primary Application | Wi-Fi |
| Wireless Application | Bluetooth, Wi-Fi, Zigbee |
| Product Availability | |
| Applicable Region | Global |
| Packaging Features | |
| Packaging Method | Bag & Box |
| Other | |
| Precision Level | Standard |
| | |

Product Compliance

For compliance documentation, visit the product page on TE.com>



| EU ELV Directive 2000/53/EC | Compliant |
|---|--|
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (4% in M-17138-4) |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought























Documents

Product Drawings

PCB ANT, MHF 4, 200mm, Wi-Fi TRIPLE BAND

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2344655-8_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2344655-8_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2344655-8_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Data sheet of 2344655-X

English

Wi-Fi_6_6E_Triple_Band_Datsheet

English

Product Specifications

Product Specification

English

PCB Antenna, Triple Band, Wi-Fi, Internal/Embedded Mount, Adhesive Mount, MHF4, Omnidirectional, Single Port, 3 < 6 dBi Peak Gain

