TE Internal #: 2348501-2 Solder Tab, .45 – 1 mm Aluminum Wire, SIAMEZE IDC, Tin Plating, 8.76 mm [.345 in] Length, Reel/Carton, Aluminum Wire, Magnet Wire Terminals

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Solder Tab

Compatible With Cavity Size: 1601424

Aluminum Wire Size: .45 – 1 mm

Termination Method to Wire & Cable: SIAMEZE IDC

Mating Retention Type: Barbs

## **Features**

# Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
Body Features	
Compatible With Cavity Size	1601424
Contact Features	
Magnet Wire Terminal Type	Solder Tab
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Orientation	Straight
Termination Features	
Termination Method to Wire & Cable	SIAMEZE IDC
Mechanical Attachment	
Mating Retention Type	Barbs
Dimensions	

8.76 mm[.345 in]

Terminal Height



Aluminum Wire Size	.45 – 1 mm
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]
Product Length	8.76 mm[.345 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Compatible With Wire Base Material	Aluminum
Packaging Features	

Reel/Carton

# **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**















# Customers Also Bought



















### **Documents**



#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2348501-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2348501-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2348501-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

# **Product Specifications**

**Application Specification** 

English