# SAJ53YXPP0STDSDTFLQ ACTIVE

#### Alcoswitch | Alcoswitch SAJ Series

TE Internal #: 2351463-2


3 A Snap Action Switch, Single Pole - Double Throw Configuration (Pole-Throw), Pin Plunger, 12 VDC, 125 VAC / 250 VAC, Alcoswitch

SAJ Series

View on TE.com >



#### Switches > Snap Action Switches



Contact Current Rating: 3A

Configuration (Pole-Throw): Single Pole - Double Throw

Actuator Style: Pin Plunger
Operating Voltage: 12 VDC

### **Features**

### **Product Type Features**

Actuator Style	Pin Plunger
Switch Style	Ultra Miniature
Switch Connection Type	Cable Connection
Configuration Features	
Operating Position	6.68 mm
Configuration (Pole-Throw)	Single Pole - Double Throw
Electrical Characteristics	
Contact Current Rating	3 A
Operating Voltage	12 VDC
Body Features	
Releasing Force	13 g
Movement Differential	.2 mm
Product Orientation	Vertical



Switch Contact Plating Material	Silver
Contact Base Material	Silver Alloy
Operation/Application	
Operating Force	130 g[4.6 oz]
Other	
Over Travel	.8 mm

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts





## Also in the Series | Alcoswitch SAJ Series



# Customers Also Bought





















3 A Snap Action Switch, Single Pole - Double Throw Configuration (Pole-Throw), Pin Plunger, 12 VDC, 125 VAC / 250 VAC, Alcoswitch SAJ Series



### **Documents**

### **Product Drawings**

MUSA SW PPL Std 3A VAC DT A LeadWCon SLD

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2351463-2\_A1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2351463-2\_A1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2351463-2\_A1.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

SAJ5 Series Snap Action Switches Data Sheet

English