


TE Internal #: 2355443-1 Circular RJ45 Connector, Single Port, Receptacle, Shielded, Cat 5e, 8 Position, 1.27 mm [.05 in] Centerline, High Speed Data, Zinc, Gold (Au)

View on TE.com >



Connectors > Modular Jacks & Plugs > RJ45 Connectors



Modular Jack & Plug Interface Type: Circular RJ45 Port Configuration: Single Port

E TE

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: Standard

Modular Connector Style: Receptacle

Features

Product Type Features

Modular Jack & Plug Interface Type	Circular RJ45
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Receptacle
Configuration Features	
Port Configuration	Single Port
Connector Contact Density	Standard
Number of Positions	8
Number of Loaded Positions	8
Body Features	
Insulator Material	Polymer
Shield Plating Material	Nickel
Shield Material	Brass
Contact Features	
Contact Underplating Material	Nickel

2355443-1

Circular RJ45 Connector, Single Port, Receptacle, Shielded, Cat 5e, 8 Position, 1.27 mm [.05 in] Centerline, High Speed Data, Zinc, Gold (Au)



Contact Current Rating (Max)	1.2 A
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material Thickness	1.27 μm[50 μin]
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	1.27 mm[.05 in]
Housing Material	Zinc
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Indicator Type	No Indicator
Shielded	Yes
Circuit Application	High Speed Data
Industry Standards	

Packaging Method Product Compliance	Bag
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
	Restricted Materials Above Threshold
China RoHS 2 Directive MIIT Order No 32, 2016	

IP67

IP Rating

2355443-1

Circular RJ45 Connector, Single Port, Receptacle, Shielded, Cat 5e, 8 Position, 1.27 mm [.05 in] Centerline, High Speed Data, Zinc, Gold (Au)



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought



2355443-1

Circular RJ45 Connector, Single Port, Receptacle, Shielded, Cat 5e, 8 Position, 1.27 mm [.05 in] Centerline, High Speed Data, Zinc, Gold (Au)





Documents

Product Drawings RJ45 CAT5e PANEL MOUNT SOCKET

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2355443-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2355443-1_B.3d_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_2355443-1_B.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English