




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Number of Positions: 104  
Primary Product Color: Yellow  
Connector & Contact Retention Accessory Type: TPA (Terminal Position Assurance)  
Primary Product Material: PBT GF20  
Operating Temperature Range: -40 – 120 °C [ -40 – 248 °F ]

Features

Product Type Features

Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)
--	-----------------------------------

Configuration Features

Number of Positions	104
---------------------	-----

Body Features

Primary Product Color	Yellow
Primary Product Material	PBT GF20

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1579007-1  
AUSDRUECKWERKZEUG




TE Part # 1-2383354-2  
104POS,LEAVYSEAL,TAB HSG ASSY, SLD,COD A


Also in the Series | LEAVYSEAL




Automotive Connector Locks & Position Assurance(4)



Automotive Headers(22)



Automotive Housings(117)




Connector Caps & Covers(1)




Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(22)



Wire-to-Board Headers & Receptacles (22)


Customers Also Bought



TE Part #1-1452424-3  
BLIND PLUG FOR MCON 1.2 CB (0,75 MM?)



TE Part #CAT-M4595-T273  
MCON Receptacle and Tab



TE Part #927770-1  
JPT REC 2.8 Contact SWS Sn



TE Part #K1151414  
Relay 30-313-11-EC-10-907



TE Part #1-1452424-2  
BLIND PLUG FOR MCON 1.2 CB (1.



TE Part #2344956-1  
COVER



TE Part #3-1718324-1  
1.5/2.8MM TAB HSG.,62POS.,ASSY



TE Part #4-963210-1  
2P J-P-T GEH KOMPL



TE Part #710025-5  
XCT 50-10

Documents

Product Drawings

TPA TAB HSG ASSY,104POS,LEAVYSEAL, SLD

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_2383363-2\_B.2d\_dxf.zip

English

Customer View Model



[ENG\\_CVM\\_CVM\\_2383363-2\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2383363-2\\_B.3d\\_stp.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Product Specifications](#)

[Application Specification](#)

English