



Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 7

Connector & Housing Type: **Housing for Male Terminals**

Connector System: **Wire-to-Panel**

Sealable: **Yes**

Primary Locking Feature: **Integrated in Housing**

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Panel
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	7
---------------------	---

Electrical Characteristics

Nominal Voltage Architecture	250 V
------------------------------	-------

Body Features

Cable Exit Angle	90°
Primary Product Color	Black



Contact Features

Contact Current Rating (Max)	32 A, 200 A
------------------------------	-------------

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------

Dimensions

Product Width	132.5 mm[5.21 in]
Product Length	126 mm[4.96 in]
Connector Height	164.5 mm[6.45 in]

Usage Conditions

Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

IP Rating	IP67
-----------	------

Packaging Features

Packaging Method	Box
Packaging Quantity	1

Other

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.7% in COMPONENT PART) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.




Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts



TE Part # 2296057-2  
COVER, CABLE SEAL, AC




TE Part # 2293266-3  
DIA 3.6MM,PIN TERMINAL



TE Part # 1-967640-1  
4POS MQS REC COD A

TE Part # 2276149-6  
Large Size Wire Applicator-LP




TE Part # 2151022-1  
OCEAN\_2.0\_APPLICATOR-S-055F070F-RSM

Also in the Series | Charging Inlets




Automotive Connector Caps & Covers (56)



Automotive Connector Locks & Position Assurance(1)



Automotive Housings(30)



Automotive Terminals(2)



Connector Seals & Cavity Plugs(5)




Electric, Hybrid & Fuel Cell Cable Assemblies(101)



High Voltage Wire Processing Equipment(17)

Customers Also Bought




TE Part #1-967640-1  
4POS MQS REC COD A




TE Part #1-794617-2  
12POS,MICRO MNL,RCPT HSG



TE Part #2388501-2  
CHARGE INLET, COMBO 1, LED, 90 DEGREE



TE Part #2358664-5  
FLAP, ASSY, INLET COMBO 1, LEFT, LED



TE Part #493989-1  
HSG, 2 POSN. JPT ASSY



TE Part #2103245-2  
Inner Housing, Split Hdr, Key B, HVA280



TE Part #2103245-4  
Inner Housing, Split Hdr, Key D, HVA280



TE Part #2293266-3  
DIA 3.6MM,PIN TERMINAL



TE Part #2103245-5  
Inner Housing, Split Hdr, Key E, HVA280



TE Part #2103247-2  
SPLIT HEADER ASSY, KEY B, HVA280

Documents



Product Drawings

CHARGE INLET, COMBO 1, LED, 90 DEGREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2388501-1\_B.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_2388501-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2388501-1\_B.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English