



PowerTube | PowerTube HVP-HD 1000

TE Internal #: 2394061-2

Bus Bar-to-Wire, 2 Position, 36 mm [1.417 in] Centerline, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, PowerTube HVP-HD 1000

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1000 180° Headers



Connector System: **Bus Bar-to-Wire**

Number of Positions: **2**

Number of Rows: **1**

Centerline (Pitch): **36 mm [1.417 in]**

Header Type: **Header & Push-Push Assembly**

[All PowerTube HVP-HD 1000 180° Headers \(87\)](#)

Features

Product Type Features

Connector System	Bus Bar-to-Wire
Header Type	Header & Push-Push Assembly
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	1000 VDC
Nominal Voltage Architecture	1000 V

Body Features

--	--



Connector & Keying Code	C/D
-------------------------	-----

Primary Product Color	Blue, Purple
-----------------------	--------------

Contact Features

Mating Pin Diameter	10 mm[.393 in]
---------------------	----------------

Contact Mating Area Plating Material	Silver (Ag)
--------------------------------------	-------------

Contact Type	Pin
--------------	-----

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------

Mechanical Attachment

Mating Alignment Type	Polarization
-----------------------	--------------

Connector Mounting Type	Panel Mount
-------------------------	-------------

Mating Alignment	With
------------------	------

Housing Features

Centerline (Pitch)	36 mm[1.417 in]
--------------------	-----------------

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP6K9K
-----------	--------

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Container
------------------	-----------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)
--	---



Candidate List Declared Against: JAN 2025 (247)

SVHC > Threshold:

Decamethylcyclopentasiloxane (D5) (2.41% in 30409098329)

Octamethylcyclotetrasiloxane (D4) (10% in Component Part)

Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2407806-1
COVER, SHIPPING CAP FOR HD1000
HEADER



TE Part # CAT-AQ4-HFFTH1000
PowerTube HVP-HD 1000 Plug Pre-
Assemblies

Also in the Series | PowerTube HVP-HD 1000



Automotive Connector EMC Shielding
(4)



Automotive Headers(183)



Automotive Housings(27)



Automotive Terminals(6)



Connector Seals & Cavity Plugs(5)

Other Automotive Connector Accessories(29)

PCB Headers & Receptacles(183)

Rectangular Power Connectors(183)

Customers Also Bought

TE Part #2-2399607-2
2POS,HVP1400,ASSY,180DEG,COD C /D

TE Part #364198-E
SRCBUG A 2,54 2 2 CSI 112 E1 ADV TRAY J

TE Part #1473672-1
025 PLUG ASSY

TE Part #7-1633928-4
ANVIL COMBINATION

TE Part #374335-E
DRCBUG B 2,54 20 * CSI 112 E012 ADV J 2

TE Part #1670720-2
SLIDE,TAB HSG GROUP C

TE Part #1028-013-0805
BKSHL, 8P, BLK, PLG, ST, NW 10/13

TE Part #2-2394061-3
2POS,HVP1000,ASSY,180DEG,COD E /F

TE Part #2361158-3
SDM,54P PLUG ASY,RHL,KEY D

TE Part #519011-6
SCREW, SET, SOCKET, FLAT POINT

Documents

Product Drawings
2POS,HVP1000,ASSY,180DEG,COD C/D
English

CAD Files
Customer View Model
ENG_CVM_CVM_2394061-2_D.3d_stp.zip
English
Customer View Model



[ENG_CVM_CVM_2394061-2_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2394061-2_D.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English