




Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Connectors



Lighting Product Type: **Accessory**
Primary Product Color: **Clear**
Product Height: **41.6 mm [1.63 in]**
Compatible With Agency/Standards Products: **Zhaga**
Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**

Features

Product Type Features

Lighting Product Type	Accessory
-----------------------	-----------

Body Features

Primary Product Color	Clear
-----------------------	-------

Dimensions

Product Height	41.6 mm[1.63 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Industry Standards

Compatible With Agency/Standards Products	Zhaga
---	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant





China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: UV-329 (1% in 14321643314) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2445583-1 LUMAWISE MOTION - LOGIC OUTPUT, RECT.	 TE Part # 2396399-1 MASK, STREET LIGHTING MOTION SENSOR	 TE Part # 2388426-1 ASSEMBLY, SENSOR LUMAWISE MOTION	 TE Part # 1-2445583-1 LUMAWISE MOTION - LOGIC OUTPUT, CIRC.
--	--	---	--

Also in the Series | LUMAWISE Endurance S



Poke-In Connectors(1)



Street Lighting Connectors(47)



Street Lighting Power Management(5)

Customers Also Bought



TE Part #1-2445583-1
LUMAWISE MOTION - LOGIC OUTPUT, CIRC.




TE Part #2213795-1
SEALING CAP, RCPT, LUMAWISE ENDURANCE S




TE Part #3-2444029-1
LUMAWISE MOTION Sensor, Program, Circ.



TE Part #2444029-1
LUMAWISE MOTION Sensor, Program, Rect.



TE Part #925856-1
WIRE PIN 15.5-13.5 AWG .01 PTPB



TE Part #2388426-1
ASSEMBLY, SENSOR LUMAWISE MOTION



TE Part #3-1393239-8
RT174012



TE Part #2452802-2
LUMAWISE ENDURANCE S Recept, 33mm, Key A



TE Part #2337234-3
TACT MICRO JB 4.6X4.4X0.55 P3.5 200GF



TE Part #ANT-LTE-WS-SMA
Antenna Blade NBIOT LTE-M Swivel SMA

Documents

Product Drawings
MASK, STREET LIGHTING MOTION SENSOR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2396399-1_1.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2396399-1_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2396399-1_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Datasheet - LUMAWISE Motion](#)

English

[Datasheet - LUMAWISE Motion](#)

[Datasheet - LUMAWISE Motion](#)

[Datasheet - LUMAWISE Motion](#)

German

[Datasheet - LUMAWISE Motion](#)

Product Specifications

[Application Specification](#)

English