

PowerTube | PowerTube HVP-HD 1400

TE Internal #: 2399609-3

Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole - Screw, Sealable, Power, Blue, Container, PowerTube HVP-

HD 1400

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1400 90° Headers











Connector System: Bus Bar-to-Wire

Number of Positions: 1
Number of Rows: 1

Header Type: Fully Shrouded

Contact Mating Area Plating Material: Silver (Ag)

All PowerTube HVP-HD 1400 90° Headers (90)

Features

Product Type Features

Nominal Voltage Architecture

Troduct Type reduces	
Connector Shape	Circular
Connector System	Bus Bar-to-Wire
Header Type	Fully Shrouded
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	1000 VDC

1000 V



Body Features

Connector & Keying Code	С
Primary Product Color	Blue

Contact Features

Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin

Termination Features

Mechanical Attachment

Mating Alignment Type	Polarization
PCB Mount Retention	Without
Connector Mounting Type	Panel Mount
Mating Alignment	With

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Operation/Application

Circuit Application	Power	

Industry Standards

IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Container	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2025 (247)

SVHC > Threshold:

Dodecamethylcyclohexasiloxane (D6) (.71% in 26992884864)

Decamethylcyclopentasiloxane (D5) (2.41% in 30408935353)

Octamethylcyclotetrasiloxane (D4) (.47% in 30408935353)

Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-AQ4-HFFTH1400 PowerTube HVP-HD 1400 Plug Pre-Assemblies



TE Part # 2446256-3 HD1400 PRE-ASSY SU-BEAM,NO TPA, FINGER



TE Part # 2446256-2 HD1400 PRE-ASSY,NO TPA,TOOL



HD1400 PRE-ASSY,NO TPA,TOOL HD1400 PRE-ASSY,NO TPA,FINGER





Also in the Series | PowerTube HVP-HD 1400





Automotive Connector Caps & Covers (1)



Automotive Connector EMC Shielding (5)




Automotive Headers(189)



Automotive Housings(28)






Connector Seals & Cavity Plugs(9)



Other Automotive Connector Accessories(29)



PCB Headers & Receptacles(189)



Rectangular Power Connectors(189)

Documents

Product Drawings

1POS,HVP1400,ASSY,90DEG,COD C

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2399609-3_D.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2399609-3_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2399609-3_D.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole - Screw, Sealable, Power, Blue, Container, PowerTube HVP-HD 1400



Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English