



Cable Assemblies > Copper Cable Assemblies > Internal I/O Cable Assemblies



Number of Positions: 2

Cable Assembly Length: .3 m

Cable Style: **Discrete Pair**

Wire Size: **28 AWG**

Number of Signal Positions: 2

Features

Product Type Features

|             |               |
|-------------|---------------|
| Cable Style | Discrete Pair |
|-------------|---------------|

Configuration Features

|                            |   |
|----------------------------|---|
| Number of Positions        | 2 |
| Number of Signal Positions | 2 |

Dimensions

|           |        |
|-----------|--------|
| Wire Size | 28 AWG |
|-----------|--------|

Operation/Application

|              |    |
|--------------|----|
| Halogen Free | No |
|--------------|----|

Other

|                       |      |
|-----------------------|------|
| Cable Assembly Length | .3 m |
|-----------------------|------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                              |              |
|------------------------------|--------------|
| EU RoHS Directive 2011/65/EU | Compliant    |
| EU ELV Directive 2000/53/EC  | Out of Scope |



|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free                                    |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part #CAT-D48-ST273  
DEUTSCH Solid Contacts



TE Part #CAT-D487-W416  
Wedgelocks: DEUTSCH DT



TE Part #DT06-2S  
PLG, 2P, GRY, N




TE Part #DT04-2P  
REC, 2P, GRY, N



TE Part #114017-ZZ  
SEALING PLUG, SIZE 12/16, WHT



TE Part #CAT-AM71-CH8172  
AMP SUPERSEAL 1.5MM,  
CONNECTOR HOUSING



TE Part #281934-2  
SINGLE WIRE SEAL

Documents

Product Drawings  
2P TO 2P 300MM CABLE ASSEMBLY,1470364-2  
English



CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2405396-2\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2405396-2\_A.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_2405396-2\_A.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HPI-Connectors-QRG-1221-V2

English